

Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
Square D	FA	1-3	65396 (w/cleat)
Square D	FAL	1-3	65396 (w/cleat)
Square D	FC	3	65396 (w/cleat)
Square D	FCL	2-3	65396 (w/cleat)
Square D	FDA	2-3	65396, 51254
Square D	FGA	3	51254
Square D	FH	1-3	65396 (w/cleat)
Square D	FHL	1-3	65396 (w/cleat)
Square D	FHL-DC	3	65396 (w/cleat)
Square D	FHP	3	65396 (w/cleat)
Square D	FI	3	65396 (w/cleat)
Square D	FIL	3	65396 (w/cleat)
Square D	FY	1	65396 (w/cleat)
Square D	GJL	3	65396 (w/cleat)
Square D	KA	2-3	65396 (w/cleat)
Square D	KAL	2-3	65396 (w/cleat)
Square D	KAP	2-3	65397
Square D	KC	2-3	65396 (w/cleat)
Square D	KCL	2-3	65396 (w/cleat)
Square D	KH	2-3	65396 (w/cleat)
Square D	KHL	3	65396 (w/cleat)
Square D	KI	2-3	65396 (w/cleat)
Square D	KIL	2-3	65396 (w/cleat)
Square D	L2	3	65329
Square D	LA	2-3	65397 (w/cleat)
Square D	LAL	2-3	65397 (w/cleat), 65329
Square D	LAP	3	65397 (w/cleat), 65329
Square D	LC	3	65329
Square D	LCP	3	65329
Square D	LH	2-3	65397 (w/cleat)
Square D	LHL	3	65397 (w/cleat), 65329
Square D	LHP	1-2	65397 (w/cleat), 65329
Square D	LXL	3	65329
Square D	MA	3	65329
Square D	MA	2-3	65397 (w/cleat)
Square D	MAL	3	65329
Square D	MH	2-3	65329
Square D	MH	2-3	65397 (w/cleat)
Square D	MHL	2-3	65329
Square D	ML-1	3	65397 (w/cleat)
Square D	ML-3	3	65329
Square D	MXL	3	65329
Square D	Q1B	2-3	65396, 51254
Square D	Q1L	2-3	65396, 51254
Square D	Q2	2-3	65396 (w/cleat)
Square D	Q2H	2-3	65396 (w/cleat)
Square D	Q2L	2-3	65396 (w/cleat)
Square D	Q2MT	2-3	65396 (w/cleat)
Square D	Q4	2-3	65397 (w/cleat)
Square D	Q4L	2-3	65397 (w/cleat)
Square D	QO	1	51252
Square D	QO	2-3	65387, 65396, 51252, 51254
Square D	QO-H	2	51252
Square D	QO-SWN	2-3	65387, 65396, 51252, 51254
Square D	QQ-VH	1	51252

Brand	Model No.	Poles	Compatible Part #
Square D	QO-VH	2-3	65387, 65396, 51252, 51254
Square D	QOB	1	51252
Square D	QOB	2-3	65387, 65396, 51252, 51254
Square D	QOB-H	2	51252
Square D	QOB-VH	2-3	66321
Square D	QOB-VH	1	65387, 65396, 51252, 51254
Square D	QOM1-VH	2	65396, 51254
Square D	QOM2-VH	2	65396, 51254
Square D	QOU	1	51252
Square D	QOU	2-3	65396, 51252, 51254
Square D	QOU w/tie bar	2-3	66321, 51254
Square D	QYU	1	51252
Square D	Y1	1	65397
Sursum	EA53	3	90847
Sylvania GTE	QC	2	66321, 51254
Sylvania GTE	Type C	2	66321, 51254
Thomas & Betts	F Frame	1-3	65396, 51254
Toshiba	E225B	3	65396 (w/cleat)
Westinghouse	BA	1-3	65387, 65396, 51254
Westinghouse	BA w/tie bar	2-3	66321
Westinghouse	BAB	1-3	65387, 65396, 51254
Westinghouse	BR	1-3	65387, 65396, 51254
Westinghouse	BR w/tie bar	2-3	66321, 51254
Westinghouse	BRH w/tie bar	2-3	66321
Westinghouse	CA	2	65396 (w/cleat)
Westinghouse	DA	2-3	65397
Westinghouse	DK	3	65397
Westinghouse	EB	1-3	65396 (w/cleat), 51254
Westinghouse	ED	2-3	65396, 51254
Westinghouse	EH	1-3	65396, 51254
Westinghouse	EH-B	1-3	65396 (w/cleat)
Westinghouse	EHD	1-3	65396, 51254
Westinghouse	FA	3	65396 (w/cleat), 51254
Westinghouse	FB	2-3	65396 (w/cleat), 51254
Westinghouse	FD	1-4	65396, 51254
Westinghouse	FDB	2-4	65396, 51254
Westinghouse	FDC	2-4	65396, 51254
Westinghouse	FP	3	65397 (w/cleat)
Westinghouse	GB	1-3	65396, 51254
Westinghouse	GBH	1-3	65396, 51254
Westinghouse	GHB	1-3	65396, 51254
Westinghouse	GR	3	65397
Westinghouse	HBAW	1	65387, 65396, 51254
Westinghouse	HBAX	1	65387, 65396, 51254
Westinghouse	HCA	3	65396 (w/cleat)
Westinghouse	HFB	1-3	65396 (w/cleat)
Westinghouse	HFD	1-4	65396, 51254
Westinghouse	HKD	3	65397
Westinghouse	HLA	3	65397
Westinghouse	HLB	2-3	65397
Westinghouse	HMC	3	65397
Westinghouse	HMCP	3	65396 (w/cleat), 51254
Westinghouse	HNC	3	65329

Brand	Model No.	Poles	Compatible Part #
Westinghouse	HQNP	3	65396, 51254
Westinghouse	HQP	1	65387, 65396, 51254
Westinghouse	JA	2-3	65397
Westinghouse	JB	3	65397
Westinghouse	JD	2-4	65397
Westinghouse	JDB	3	65397
Westinghouse	KA	3	65397 (w/cleat)
Westinghouse	KB	2-3	65397
Westinghouse	LA	3	65397 (w/cleat)
Westinghouse	LB	3	65397
Westinghouse	LBB	3	65397
Westinghouse	LH	3	65397
Westinghouse	MA	2-3	65397 (w/cleat)
Westinghouse	MC	2-3	65397 (w/cleat)
Westinghouse	MCC	2-3	65397 (w/cleat)
Westinghouse	MCPQ	3	65396 (w/cleat), 51254
Westinghouse	NB	2-3	65329
Westinghouse	P	3	65396, 51254
Westinghouse	QBHW	1	65387, 65396, 51254
Westinghouse	QC	3	66321
Westinghouse	QC	1	65387, 65396, 51254
Westinghouse	QCHQ	1	65387, 65396, 51254
Westinghouse	QHCW	1	65387, 65396, 51254
Westinghouse	QHCX	1	65387, 65396, 51254
Westinghouse	QHPW	1	65387, 65396, 51254
Westinghouse	QPHW	1	65387, 65396, 51254
Westinghouse	Quicklag P	1-3	65396, 51254
Westinghouse	RE	1-2	65396, 51254
Westinghouse	RH	3	65397
Westinghouse	WPH-X	1	65387, 65396, 51254
Wylex	WRS40/2	2	90844
Zinsco	HQB	3	65396, 51254
Zinsco	QB	1	65396, 51254

Circuit Breaker Lockouts Legend

Standard Circuit Breaker Lockouts



65387
120V
Snap-On
Lockout

65396
1120/277V
Clamp-On
Lockout

65397
480/600V
Clamp-On
Lockout

65329
480/600V
Oversized
Lockout

66321
*Universal
Multi-Pole
Lockout*

EZ Panel Loc™



51252
Snap-On
(SQD QO
Lockout

51254
Clamp-On
(Universal)
Lockout

Miniature Circuit Breaker Lockouts



90844
Pin-Out
Standard
Lockout

90847
*Pin-In
Standard
Lockout*

90850
*Pin-Out
Wide
Lockout*

90853
*Tie-Bar
Lockout*

Circuit Breaker Lockout

BradyID.com/lockouttagout

EZ Panel Loc™ System

- Works on wide range of breakers, including single- and multi-pole configurations
- Can be used with most padlocks by making use of unique lock rail system
- Allows panel door to be closed even when lockouts are in place
- Accommodates multiple locks, facilitating group lockout activity without hasps
- Keeps weight off the breakers, protecting delicate electrical components from damage
- Positions locks and tags outside the panel, making sure lockout activity is clearly visible to anyone in the area
- Patent No. 6,727,441

(Not recommended for use with multilock hasps)

Technical Information

- Lockout devices constructed of high-impact Isoplast polymers
- Cables are 2-ft. in length
- Lock rails made of durable isoplast polymers with acrylic adhesive backing
- Lock rails available in 4" or 8" lengths (with 7 or 15 lock loops)

How EZ Panel Loc System Works



Lockout device is unlocked by inserting and turning the black plastic key.



1. Expose the super-bond adhesive on back of rail. Permanently affix to any location on the panel.



2. Attach the lockout device to the breaker and snap into locked position.



3. Pass plastic key through lock rail and attach lock, preventing key from sliding down cable and opening lockout device.



4. For group lockouts, run key through multiple loops in lock rail and apply locks. No hasps required! (Not recommended for use with multilock hasps)




5. Low-profile lockouts allow panel doors to be closed on most breaker panels.

Covers Most 120V – 277V Breakers!

The EZ Panel Loc™ System comes in two different styles, accommodating an exceptionally wide range of breaker models.


SNAP-ON

For use on Square D NQO and other breakers that have a hole in the switch tongue. Just align pins with hole and snap closed. Pins prevent switch from being thrown.



CLAMP-ON

For use on breakers that do not have a hole in the switch tongue. Turn thumbscrew to clamp lockout securely onto switch, then snap the cover closed to prevent thumbwheel from being loosened.



	Outer Dimensions (in.)			Switch Clearance (in.)	
	A	B	C	D	E
Snap-On Style	0.90"	1.88"	0.74"	0.40"	0.35"
Clamp-On Style	0.95"	2.56"	0.74"	0.35"	0.42"

Description	1 Per Pkg	6 Per Pkg
Snap-On Lockout Device	51252	65815
Clamp-On Lockout Device	51254	65810
4" Lock Rail	51256	65814
8" Lock Rail	51258	51260

EZ Panel Loc™ Accessories



Spacing Gasket

- For low profile panels, gasket pushes out the panel frame adding an additional 3/8" of clearance between the panel and the door
- Easy install with self-adhesive backing
- Dimensions: 3/8"D x 1"W x 15'L

Catalog # Description

89256 EZ Panel Loc™ Spacing Gasket

Circuit Breaker Lockout


BradyID.com/lockouttagout



120V Snap-On Breaker Lockout

- Designed for 120V breakers with holes in the switch tongue
- Quick and easy – just snap in place and apply lock!
- Dual cavities accommodate different size switch tongues
- Accepts lock shackles up to 9/32" dia.
- Dimensions: 0.83"H x 0.35"W x 2.15"L

Catalog #	Description	Qty.
65387	120V Snap-On Circuit Breaker Lockout	1
65688	120V Snap-On Circuit Breaker Lockouts	6



Oversized Clamp On Breaker Lockout

- Oversized 480/600V frame lockout fits breaker switches up to 2-1/4" wide and 7/8" thick
- Made of durable polypropylene and glass filled-impact-modified nylon
- Patent No. 5,500,495


Catalog #	Description	Qty.
65329	Oversized Breaker Lockout	1
65321	Oversized Breaker Lockout	6



Clamp-On Breaker Lockout

- Extremely versatile – works on a wide range of single-pole and internal-trip multi-pole breakers!
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place to prevent clamp from being loosened
- Accepts lock shackles up to 9/32" dia.
- Included detachable cleats expand the range of applicable breakers

Catalog #	Description	Qty.
65396	120/277V Clamp-On Lockout	1
65965	120/277V Clamp-On Lockout	6
65397	480/600V Clamp-On Lockout	1
65966	480/600V Clamp-On Lockout	6
65404	Extra Cleats For 120/277V Lockout	6
65406	Extra Cleats For 480/600V Lockout	6




480-600V Breaker Blocker

- Ideal for oversized and irregularly shaped switches
- Self-adhesive backed rails are permanently installed onto an electrical panel – simply clean panel surface and adhere – no drilling required!
- Blocking Bars are 7-1/2" long
- Red blocking bar indicates locked off, green bar indicates locked on

Catalog #	Description	Qty.
90892	7.6" Red Blocking Bar	5
90893	7.6" Green Blocking Bar	5
51264	4" Yellow Mounting Rails	2
51265	Blocking Bar Holder	5
90891	Breaker Block Kit*	1

*Kit includes 2 yellow mounting rails, 1 red blocking bar, 1 green blocking bar and 3 alcohol wipes.



Universal Multi-Pole Breaker Lockout

- Single device works with most major multi-pole breakers that employ a tie-bar
- Made of durable impact-modified nylon
- Compatible with GE, ITE, Sylvania, Challenger, Bryant, Westinghouse, General Switch Co., and more!
- Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened
- Patent No. 5,300,740

Catalog #	Description	Qty.
66321	Universal Multi-Pole Breaker Lockout	1
66320	Universal Multi-Pole Breaker Lockouts	6



Five Steps to Compliance Whitepaper

Download this whitepaper to get started on a 5 step plan that will help you comply with OSHA's Lockout/Tagout regulations and keep your employees safe.

Download now at:
BradyID.com/5steps

