
Lockout Padlocks

Although padlocks may seem like a commonplace device, the durability and reliability of your padlocks is critical to the safety of your employee. Brady provides a full line of padlocks that withstand harsh environmental conditions, rough handling and provide maximum safety.



Nylon Lockout Padlocks



*Available as custom

BRADY

Regulations

1910.147(c)(5) OSHA Lockout Device Requirements state that lockout devices must:

- Be provided by the employer and be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else

Aluminum and Steel Lockout Padlocks

	NEW SafeKey Aluminum Lockout Padlocks	Traditional Aluminu	Traditional Aluminum Lockout Padlocks		Traditional Steel Lockout Padlocks	
	SafeKey Aluminum Padlocks	Compact Aluminum Padlocks	Aluminum Padlocks	Laminated Steel Padlocks	Key-Retaining Laminated Steel Padlocks	
itures	Advanced security locking mechanism, color matched keys, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance	Traditional key-retaining pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance	
in lication	Ideal for indoor and outdoor use and heavy-duty applications	Small space applications	Outdoor, industrial safety, food and beverage applications (FDA approved lubricant in cylinder)	Industrial safety and severe physical environments	Industrial safety and severe physical environments	
1-conductive	No	No	No	No	No	
n-sparking	No	No	No	No	No	
ly « W)	Aluminum body 1.8 in. x 1.5 in.	Aluminum body 1.25 in.	Aluminum body 1.6 in.	Steel body 1.33 in.	Steel body 1.2 in.	
ickle	Steel shackle Height: 1.5 in. or 3.0 in. Diameter: 0.25 in.	Steel shackle Height: 1.0 in. Diameter: 0.25 in.	Steel shackle Height: 1 in., 1.5 in. or 3 in. Diameter: 0.25 in.	Steel shackle Height: 0.75 in. or 2 in. Diameter: 0.27 in.	Steel shackle Height: 0.75 in., 2 in. or 3 in. Diameter: 0.27 in.	
ors	9 colors	9 colors	9 colors	9 colors	9 colors	
Retaining	No	No	No	No	Yes	
Codes	100,000+	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000	
ring	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	
raving ilable	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	
ludes	1 key (labels sold separately)	2 keys (labels sold separately)	2 keys (labels sold separately)	2 keys (labels sold separately)	1 key (labels sold separately)	
ilahle as cu	stom					

Featu

Main appli

Non-

Non-Body (H x

Shac

Color Key F Key C Keyir

Engra Avail Inclu

new Brady SafeKey Lockout Padlocks

With this innovatively designed padlock, you get up to 700% more unique key possibilities than a standard safety padlock, without sacrificing a secure lockout. It's all in the forward-thinking design of the locking mechanism and unique key blade that gives you more precision and control in your lockout program. With that level of precision, you're covered from your simple to highly complex lockout needs. You also get:

- · Fast identification with the color-matched key
- Easy operation with extra smooth key insertion and removal even when wearing gloves!
- Years of use with the low-friction locking mechanism that helps maintain key integrity
- Excellent durability in industrial environments



Added safety with nonconductive ball bearings and driver

More than 100,000 key codes made possible with linear, low-friction lock mechanism

Easy operation with smooth key design and precision steel tumbler blades



Enhanced security with two side-locking bars

Extra durability in industrial environments with one-piece body design

> Fast identification with color-matched lock and key

More really means more with SafeKey

In your lockout scenario, here's what you get with up to 700% more unique key codes:



Keying options for SafeKey and traditional lockout padlocks

Standard options



Keyed Different (KD) Keyed Alike (KA)

Each lock is opened Perfect for simple lockout applications and a manageable number of energy isolation points.




Each lock in the group by its own unique key. can be opened with the same key, reducing the number of keys needed. Ideal for employees who work on multiple machines or isolation points.

Custom options



Master Keyed (MK)

Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required.



Grand Master Keyed (GMK)

The grand master key can open all locks grouped into two or more master keyed systems. Useful when supervisory or managerial access to all locks is needed.

Key Charting

Brady will keep a record of and "chart" all key numbers to ensure there's no unwanted key duplication on current or future orders, depending on your unique requirements.

new Brady SafeKey Lockout Padlocks

SafeKey Nylon Lockout Padlocks

- Key retaining feature within a lightweight nylon body is ideal for electrical and general lockout applications
- Two shackle options available; durable, steel shackle or polymer plastic shackle that is non-conductive and non-sparking
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.

SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) steel shackle

			()	
Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	NYL-RED-38ST-KD	NYL-RED-38ST-KD6PK	NYL-RED-38ST-KA3PK	NYL-RED-38ST-KA6PK
Green	NYL-GRN-38ST-KD	NYL-GRN-38ST-KD6PK	NYL-GRN-38ST-KA3PK	NYL-GRN-38ST-KA6PK
Orange	NYL-ORG-38ST-KD	NYL-ORG-38ST-KD6PK	NYL-ORG-38ST-KA3PK	NYL-ORG-38ST-KA6PK
Blue	NYL-BLU-38ST-KD	NYL-BLU-38ST-KD6PK	NYL-BLU-38ST-KA3PK	NYL-BLU-38ST-KA6PK
Yellow	NYL-YLW-38ST-KD	NYL-YLW-38ST-KD6PK	NYL-YLW-38ST-KA3PK	NYL-YLW-38ST-KA6PK
Brown	NYL-BRN-38ST-KD	NYL-BRN-38ST-KD6PK	NYL-BRN-38ST-KA3PK	NYL-BRN-38ST-KA6PK
White	NYL-WHT-38ST-KD	NYL-WHT-38ST-KD6PK	NYL-WHT-38ST-KA3PK	NYL-WHT-38ST-KA6PK
Purple	NYL-PRP-38ST-KD	NYL-PRP-38ST-KD6PK	NYL-PRP-38ST-KA3PK	NYL-PRP-38ST-KA6PK
Black	NYL-BLK-38ST-KD	NYL-BLK-38ST-KD6PK	NYL-BLK-38ST-KA3PK	NYL-BLK-38ST-KA6PK

SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) nylon shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	NYL-RED-38PL-KD	NYL-RED-38PL-KD6PK	NYL-RED-38PL-KA3PK	NYL-RED-38PL-KA6PK
Green	NYL-GRN-38PL-KD	NYL-GRN-38PL-KD6PK	NYL-GRN-38PL-KA3PK	NYL-GRN-38PL-KA6PK
Orange	NYL-ORG-38PL-KD	NYL-ORG-38PL-KD6PK	NYL-ORG-38PL-KA3PK	NYL-ORG-38PL-KA6PK
Blue	NYL-BLU-38PL-KD	NYL-BLU-38PL-KD6PK	NYL-BLU-38PL-KA3PK	NYL-BLU-38PL-KA6PK
Yellow	NYL-YLW-38PL-KD	NYL-YLW-38PL-KD6PK	NYL-YLW-38PL-KA3PK	NYL-YLW-38PL-KA6PK
Brown	NYL-BRN-38PL-KD	NYL-BRN-38PL-KD6PK	NYL-BRN-38PL-KA3PK	NYL-BRN-38PL-KA6PK
White	NYL-WHT-38PL-KD	NYL-WHT-38PL-KD6PK	NYL-WHT-38PL-KA3PK	NYL-WHT-38PL-KA6PK
Purple	NYL-PRP-38PL-KD	NYL-PRP-38PL-KD6PK	NYL-PRP-38PL-KA3PK	NYL-PRP-38PL-KA6PK
Black	NYL-BLK-38PL-KD	NYL-BLK-38PL-KD6PK	NYL-BLK-38PL-KA3PK	NYL-BLK-38PL-KA6PK

SafeKey Nylon Lockout Padlocks with 3.0 in. (76 mm) steel shackle

Color	Keyed Different 1/Pack
Red	NYL-RED-76ST-KD
Green	NYL-GRN-76ST-KD
Orange	NYL-ORG-76ST-KD
Blue	NYL-BLU-76ST-KD
Yellow	NYL-YLW-76ST-KD
Brown	NYL-BRN-76ST-KD
White	NYL-WHT-76ST-KD
Purple	NYL-PRP-76ST-KD
Black	NYL-BLK-76ST-KD







Engraving

SafeKey padlocks can be laser-engraved on one to four surfaces to identify individuals, departments, work areas, serial numbers and company logos. Additionally, SafeKey keys can be engraved with up to 10 characters.

Design-Your-Own Padlock Online

Create a custom SafeKey padlock with exactly the options you need, including engraving, in one easy-to-use online tool. Try it today at **BradyID.com/CustomPadlocks**



SafeKey Padlock Labels

- Labels help send a clear message when machine is down for service or maintenance
- Keep track of your Brady SafeKey Lockout Padlocks by writing who owns that padlock on the label

Catalog #	Description	Size	Qty.
150556	English, French, Spanish	Compact 0.89 in x 1 in	6 cards
150555	English, French, Spanish	Standard 1.12 in x 1 in	6 cards
65508	Lock Label Overlaminate	1 in. x 6 in.	40



