

Eaton 160NHG00B-660

Catalog Number: 160NHG00B-660

Fuse-link, LV, 160 A, AC 660 V, NH00, gL/gG, IEC, dual indicator, live gripping lugs

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	160NHG00B-660
	Model Code
	NH FUSE 160A 660V GL/GG SIZE 00 DUAL IN
UPC	EAN
051712583060	5027590437202
Product Length/Depth	Product Height
79 mm	58 mm
Product Width	Product Weight
30 mm	216.3333333 g
Compliances	Certifications
CE Marked	IEC 60269-1
RoHS Compliant	IEC 60269-2
	DIN 43620

defaultTaxonomyAttributeLabel

Type

Fuse

Application

industrial
Utilities, Solar, Wind

Amperage Rating

160 A

Fitted with:

Metal gripping lugs

Fuse size

NH00

Current type

AC

Breaking capacity

50 kA

Rated switching capacity

50 kA

Rated voltage AC

660 V

Class

Class gG/gL

Fuse type

Square body with knife blade contact

Accessory/spare part type

SDL-00 Solid link
FEH- Fuse extraction handle
TD00-IP20 IP protection kit
TD00-IP20I Integral protection kit
TD00-IP20IC Integral Triple pole protection kit including fuse covers

Utilization category

gL/gG (cable protection/equipment protection)

Interrupt rating

50 kAIC

Fuse indicator

Combination fuse status indicator

Resources

Catalogs

NH Fuse links, bases and gear

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

CA134002EN

Compliance information

[UKCA NH Size 00, 660V and 690V fuse-links](#)

[CE NH Size 00, 660V and 690V fuse-links](#)

Multimedia

[Eaton Bussmann – NH fuse link portfolio](#)

Presentations

[NH Overview Video](#)

Technical service bulletins

[Datasheet - 160NHG00B-660](#)

Insulated metal gripping lugs (IMGL)

No

Watt losses

13 W

Connection

Blade end

Construction

NH00

Construction size

NH00

Fuse shape

Knife blade contacts

Square body

Voltage type

AC

Suitable for

SD00-D Single pole NH Fuse base

TD00-D Tripe pole NH Fuse base

Microswitch 170H0236

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

Material

Ceramic body

Quantity

3

Voltage rating

660 V

Rated switching capacity AC

50 kA



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)