

Eaton 400NHG3B-690

Catalog Number: 400NHG3B-690

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 690V, 400A, 120 kAIC, Combination fuse status indicator, fuse, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	400NHG3B-690
	Model Code
	NH FUSE 400A 690V gG SIZE 3
UPC	EAN
051712193085	5027590479844
Product Length/Depth	Product Height
150 mm	86 mm
Product Width	Product Weight
71 mm	1140 g
Warranty	Compliances
Not Applicable	RoHS Compliant CE Marked
Certifications	
IEC 60269-1 IEC 60269-2 DIN 43620	

Product specifications

Interrupt rating

120 kAIC

Accessory/spare part type

SDL-3 Solid link

FEH- Fuse extraction handle

SD3-SK Shroud kit

SD3-PB 2-phase barriers and 2 ganging links

TD3-IP20 Triple pole protection kit

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Suitable for

SD3-D Single pole NH Fuse base

TD3-D Tripe pole NH Fuse base

Microswitch 170H0235

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

Amperage Rating

400 A

Frequency rating - max

62 Hz

Fuse type

Square body with knife blade contact

Fitted with:

Metal gripping lugs

Rated switching capacity

120 kA

Fuse size

NH3

Rated switching capacity AC

120 kA

Voltage rating

690 V

Protection

Low watts loss

Fuse indicator

Resources

Catalogs

NH Fuse links, bases and gear

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA NH Size 3, 690V fuse-links

CE NH Size 3, 690V fuse-link

Presentations

NH Overview Video

Combination fuse status indicator

Special features

Live gripping lug

Construction

NH3

Construction size

NH3

Rated voltage AC

690 V

Connection

Blade end

Quantity

3

Material

Ceramic body

Utilization category

gL/gG (cable protection/equipment protection)

Watt losses

37 W

Type

Fuse

Fuse shape

Square body

Knife blade contacts

Breaking capacity

120 kA

Frequency rating - min

45 Hz

Class

Class gG/gL

Application

industrial

Utilities, Solar, Wind

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)