

Eaton FWK-20A20F

Catalog Number: FWK-20A20F

Eaton Bussmann series high speed traction fuse, 700 Vac (UL), 690 Vac (IEC), 800 Vdc (5-50A), 20A, 50 kAIC, Fuse, Class aR

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	FWK-20A20F
	UPC
	051712570602
EAN	Product Length/Depth
5027590499927	127 mm
Product Height	Product Width
20.5 mm	20.5 mm
Product Weight	Warranty
94 g	Not Applicable
Compliances	
CE Marked	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

traction

Amperage Rating

20 A

Breaking capacity

50 kA

With striker

No

Voltage type

DC

Utilization category

gL/gG (cable protection/equipment protection)

Release characteristic

Other

Fuse indicator

Other

Frequency rating - min

45 Hz

Frequency rating - max

62 Hz

Fuse size

20 x 127 mm

Class

Class gG

Clearing (I2T)

315 at 750 Vdc

Watt losses

7.8 W

Fuse shape

Cylindrical

Pre arc (I2T)

125

Mounting dimension

Resources

Catalogs

[IEC high speed fuse links](#)

[Traction fuse-links](#)

[FWK-20A20F~Eaton Bussmann series high speed traction fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[UKCA Traction fuses and holders](#)

[CE Traction fuses and holders](#)

Other

Current type

DC

Rated voltage DC

750 V

Color

None

Interrupt rating

50 kA at 750 Vdc

Construction size

Other

Material

Ceramic

Packaging type

Standard

Voltage rating

750 V

Fuse type

FWK-A20F



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia