

Eaton TF200M250

Catalog Number: TF200M250

Fuse-link, LV, 200 A, AC 660 V, DC 350 V, BS88/B2, 34 x 137 mm, gM, BS, 200M250

General specifications



Product Name

Eaton Bussmann series low voltage
British standard fuse

Catalog Number

TF200M250

UPC

051712485203

EAN

5027590513753

Product Length/Depth

137 mm

Product Height

40 mm

Product Width

40 mm

Product Weight

316.4 g

Warranty

No warranty

Compliances

Not Applicable

Certifications

BS

Electrical rating

Amperage Rating

250 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

660 V

Voltage type

AC/DC

Physical details

Color

None

Fuse type

TF

General information

Class

Class gM

Connection

111 mm fixing centre

Construction size

B2

Fitted with:

Centre bolted tags

Fuse indicator

None

Fuse shape

Center bolted tags

Fuse size

BS88/B2

Insulated metal gripping lugs (IMGL)

No

Quantity

10

Utilization category

gM (motor protection)

Resources

Catalogs

[CA134002EN](#)

Compliance information

[UKCA Redspot fuse-links](#)

[CE Redspot fuse-links](#)

Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

[Technical data sheets](#)

[10078 Red spot centre bolted fuses:TB, TBC, TC, TF, TKF, TKM, TMF, TM, TMT, TTM, TLM, TT, TLU, TXU fuses](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
[Eaton.com](#)

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](#)