


378

- Regressed Gimbal with Splay Trim
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Friction clip on trim

H7ICT	35W PAR30L
H7ICAT	
H7RICT	
H7RICAT	

Adjustable with Splay



Outside Diameter: 7-1/4" [184mm]



378P

White Trim with White Splay Trim

378


White Trim with Clear Specular Splay Trim

478

- Adjustable Gimbal with Splay Trim
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Friction clip on trim

H7ICT	45W PAR38
H7ICAT	

Adjustable with Splay



Outside Diameter: 7-1/4" [184mm]



478P

White Trim with White Splay

478

White Trim with Clear Specular Splay

420

- Regressed eyeball with baffle splay
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring

H7ICT	50W PAR30L, 50W PAR30, 60W BR30
H7ICAT	
H7RICT	
H7RICAT	

Regressed Eyeball - 30° Tilt



420W

White Trim with White Eyeball and White Baffle


420P

White Trim with White Eyeball and Black Baffle

420PB

Polished Brass Trim with Polished Brass Eyeball and Black Baffle

Height: 3-15/16" [100mm]
Aperture: 4" [102mm]
Outside Diameter: 7-1/4" [184mm]




170

- White Trim with Frosted Glass Lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7ICT	40W A19
H7ICAT	
H7RICT	
H7RICAT	

Albalite Lens with Reflector



Height: 4" [101mm]
Outside Diameter: 8" [203mm]



170P

White Trim with Frosted Albalite Lens

170PS


White Trim with Frosted Albalite Lens, Wet Location and AIR-TITE listed

478

Adjustable with Splay

- Adjustable Gimbal with Splay Trim
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Friction clip on trim

H7ICTNB	45W PAR38
H7ICATNB	



Outside Diameter: 7-1/4" [184mm]



478P

White Trim with White Splay

478


White Trim with Clear Specular Splay

420

Regressed Eyeball - 30° Tilt

- Regressed eyeball with baffle splay
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring

H7ICTNB	50W PAR30L, 50W PAR30, 60W BR30
H7ICATNB	



Height: 3-15/16" [100mm]
Aperture: 4" [102mm]
Outside Diameter: 7-1/4" [184mm]



420W

White Trim with White Eyeball and White Baffle

420P

White Trim with White Eyeball and Black Baffle

420PB


Polished Brass Trim with Polished Brass Eyeball and Black Baffle

170

Albalite Lens with Reflector

- White trim with Frosted Glass Albalite lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7ICTNB	40W A19
H7ICATNB	



Height: 4" [101mm]
Outside Diameter: 8" [203mm]



170P

White Trim with Frosted Albalite Lens

170PS


White Trim with Frosted Albalite Lens, Wet Location and AIR-TITE listed

171

Drop Opal Lens with Reflector

- White trim with Drop Opal glass lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7ICTNB	40W A19
H7ICATNB	



Height: 4" [101mm]
Outside Diameter: 8" [203mm]



171P

White Trim with Drop Opal Lens

171PS


White Trim with Drop Opal Lens, Wet Location and AIR-TITE listed

70

Albalite Lens

- White Trim, Frosted Glass Albalite Lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive polymer trim ring
- Torsion spring retention

H7T	60W A19
H7RT	




170

Albalite Lens with Reflector

- White Trim with Frosted Glass Lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7TNB	60W A19
-------	---------




71

Drop Opal Lens

- White Trim, Drop Opal glass lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive polymer trim ring
- Torsion spring retention

H7T	60W A19
H7RT	




171

Drop Opal Lens with Reflector

- White Trim with Drop Opal glass lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7TNB	60W A19
-------	---------




73

Fresnel Lens

- White Trim with glass Fresnel Lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive polymer trim ring
- Torsion spring retention

H7T	60W A19
H7RT	




173

Fresnel Lens with Reflector

- White Trim with glass Fresnel lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7TNB	60W A19
-------	---------



419

- 25° Tilt, 358° rotation
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring

H7UIC7	75W PAR30
H7UICAT	

Regressed Eyeball with Splay



Outside Diameter: 7-1/4" [184mm]



419P

White Trim and Eyeball with White Splay


419

White Trim and Eyeball with Clear Splay

420

- Regressed eyeball with baffle splay
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring

H7UIC7	65W BR30, 75W PAR30L, 75W PAR30
H7UICAT	



Height: 3-15/16" [100mm]
Aperture: 4" [102mm]
Outside Diameter: 7-1/4" [184mm]

Regressed Eyeball - 30° Tilt



420W

White Trim with White Eyeball and White Baffle

420P

White Trim with White Eyeball and Black Baffle

420PB


Polished Brass Trim with Polished Brass Eyeball and Black Baffle

70

- White Trim, Frosted Glass Albalite Lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive polymer trim ring
- Torsion spring retention

H7UIC7	40W A19
H7UICAT	

Albalite Lens



Outside Diameter: 8" [203mm]



70P

White Trim with Frosted Albalite Lens

70PS


White Trim with Frosted Albalite Lens, Wet Location and AIR-TITE listed

170

- White Trim with Frosted Glass Lens
- PS version is wet location listed for use in showers
- Non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

H7UIC7	40W A19
H7UICAT	

Albalite Lens with Reflector



Height: 4" 9/10 [101mm]
Outside Diameter: 8" [203mm]



170P

White Trim with Frosted Albalite Lens

170PS

White Trim with Frosted Albalite Lens, Wet Location and AIR-TITE listed