Eaton EMR-3000-2A0DA1

Catalog Number: EMR-3000-2A0DA1

Eaton, EMR-3000-2, current only motor relay, 4I, 4O, 1AO ,IRIG-B, 5/1A PH and GND, Profibus-DP over Fiber Optic ST, No conf. coat, Projection mount



General specifications

Product Name Eaton motor relay

UPC 786679146842

Product Height 8.62 in

Product Weight 5.82 lb Catalog Number EMR-3000-2A0DA1 Product Length/Depth

8.06 in

Product Width 6.82 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances Contact Manufacturer



Delivery program

Application

Motor

Туре

Motor relay

Other

Analog inputs 0 Phase current 5A, 1A Analog outputs 1 **Digital inputs** 4 **Digital outputs** 4 I/O options IRIG-B **URTD** Interface **PROFIBUS-DP** over fiber optic ST Sensing inputs

Current Protection and Metering

Zone selective interlocking

0

Technical data - Electrical

Frequency rating 50/60 Hz

Resources

Multimedia

Programming an Eaton E-Series Relay, Step 2: Getting Started with PowerPort-E

Interfacing with an Eaton E-Series Relay, Step 5: Monitoring with PowerPort-E

Introduction to Eaton's E-Series Relay, Step 1: Physical Connections

Interfacing with an Eaton E-Series Relay, Step 6: Front Panel Navigation

Programming an Eaton E-Series Relay, Step 3: Getting Started with the E-Series Wizard

Programming an Eaton E-Series Relay, Step 4: Advanced Configuration

Technical data - Mechanical

Mounting method Projection Specifications and datasheets

Eaton Specification Sheet - EMR-3000-2A0DA1



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia