

# Straight Blade Devices

## Accessories

For 15 and 20 Ampere, 125 and 250 Volts and 277 Volts AC Devices



### Wallplates, 1-Gang

| Description                                                        | Color        | Duplex Receptacle | Style Line® Receptacle | Single Receptacle Plate 1.40 in. (35.6) Dia. |
|--------------------------------------------------------------------|--------------|-------------------|------------------------|----------------------------------------------|
| Thermoplastic, smooth.                                             | Black        | <b>P8BK</b>       | <b>P26BK</b>           | <b>P7BK</b>                                  |
|                                                                    | Brown        | <b>P8</b>         | <b>P26</b>             | <b>P7</b>                                    |
|                                                                    | Gray         | <b>P8GY</b>       | <b>P26GY</b>           | <b>P7GY</b>                                  |
|                                                                    | Ivory        | <b>P8I</b>        | <b>P26I</b>            | <b>P7I</b>                                   |
|                                                                    | Light Almond | <b>P8LA</b>       | <b>P26LA</b>           | <b>P7LA</b>                                  |
|                                                                    | Orange       | <b>P8OR</b>       | —                      | —                                            |
|                                                                    | Red          | <b>P8R</b>        | <b>P26R</b>            | <b>P7R</b>                                   |
|                                                                    | White        | <b>P8W</b>        | <b>P26W</b>            | <b>P7W</b>                                   |
| Stainless steel 302/304, .035 in. (0.9) horizontal brushed finish. |              | <b>SS8</b>        | <b>SS26</b>            | <b>SS7</b>                                   |
| Brass .04 in. (1.0), horizontal brushed finish.                    |              | <b>SB8</b>        | <b>SB26</b>            | <b>SB7</b>                                   |
| Aluminum .05 in. (1.3), horizontal brushed finish.                 |              | <b>SA8</b>        | —                      | <b>SA7</b>                                   |



**P8**



**P26I**



**SS7**

### Weatherproof Covers

| Description                           | Duplex Receptacle | Single Receptacle Plate 1.40 in. (35.6) Dia. |
|---------------------------------------|-------------------|----------------------------------------------|
| RTP, gray, for FS/FD box mounting.    | <b>HBL5221</b>    | <b>HBL7423WO</b>                             |
| RTP, yellow, for FS/FD box mounting.  | <b>HBL52CM21</b>  | <b>HBL74CM23WO</b>                           |
| RTP, gray, for device mounting.       | <b>HBL5222</b>    | —                                            |
| RTP, yellow, for device mounting.     | <b>HBL52CM22</b>  | —                                            |
| Cast aluminum for FS/FD box mounting. | <b>HBL5206WO</b>  | <b>HBL7420</b>                               |
| Cast aluminum for device mounting.    | <b>HBL5205WO</b>  | —                                            |

*Note: All weatherproof plates are UL Listed for Wet Locations.  
Those with suffix WO are listed for use with cover open, all others with cover closed.  
RTP is an abbreviation for reinforced thermoplastic polyester.  
See section O for additional information on cover plates.*



**HBL52CM22**



**HBL5206WO**



**HBL7423WO**

Dimensions in Inches (mm)

## Accessories



## Toggle Switch Wallplates

| Description                                | Color        | 1-Gang      |               | 2-Gang      |               |
|--------------------------------------------|--------------|-------------|---------------|-------------|---------------|
|                                            |              | Standard    | Snap-On       | Standard    | Snap-On       |
| Nylon toggle, standard size, smooth nylon. | Gray         | <b>P1GY</b> | —             | <b>P2GY</b> | —             |
|                                            | Ivory        | <b>P1I</b>  | <b>NPS1I</b>  | <b>P2I</b>  | <b>NPS2I</b>  |
|                                            | Light Almond | <b>P1LA</b> | <b>NPS1LA</b> | <b>P2LA</b> | <b>NPS2LA</b> |
|                                            | White        | <b>P1W</b>  | <b>NPS1W</b>  | <b>P2W</b>  | <b>NPS2W</b>  |



## Toggle Switch Wallplates

| Description                                | Color                    | 1-Gang      | 2-Gang      | 3-Gang       |
|--------------------------------------------|--------------------------|-------------|-------------|--------------|
| Nylon toggle, standard size, smooth metal. | Aluminum                 | <b>SA1</b>  | <b>SA2</b>  | ①            |
|                                            | Brass                    | <b>SB1</b>  | <b>SB2</b>  | <b>SBP3*</b> |
|                                            | Stainless Steel, 302/304 | <b>SS1</b>  | <b>SS2</b>  | <b>SS3</b>   |
|                                            | Stainless Steel, 430     | <b>SS1L</b> | <b>SS2L</b> | <b>SS3L</b>  |



## Style Line® Decorator Switch Wallplates

| Description                                   | Color        | 1-Gang       |                | 2-Gang        |                 |
|-----------------------------------------------|--------------|--------------|----------------|---------------|-----------------|
|                                               |              | Standard     | Snap-On        | Standard      | Snap-On         |
| Nylon decorator, standard size, smooth metal. | Gray         | <b>P26GY</b> | —              | <b>P262GY</b> | —               |
|                                               | Ivory        | <b>P26I</b>  | <b>NPS26I</b>  | <b>P262I</b>  | <b>NPS262I</b>  |
|                                               | Light Almond | <b>P26LA</b> | <b>NPS26LA</b> | <b>P262LA</b> | <b>NPS262LA</b> |
|                                               | White        | <b>P26W</b>  | <b>NPS26W</b>  | <b>P262W</b>  | <b>NPS262W</b>  |



## Style Line® Decorator Switch Wallplates

| Description                                   | Color                    | 1-Gang       | 2-Gang        | 3-Gang       |
|-----------------------------------------------|--------------------------|--------------|---------------|--------------|
| Nylon decorator, standard size, smooth metal. | Aluminum                 | ①            | ①             | ①            |
|                                               | Brass                    | <b>SB26</b>  | <b>SB262</b>  | ①            |
|                                               | Stainless Steel, 302/304 | <b>SS26</b>  | <b>SS262</b>  | <b>SS263</b> |
|                                               | Stainless Steel, 430     | <b>SS26L</b> | <b>SS262L</b> | —            |

Note: See section O for additional wallplates.

\*Brass plated.

① Available as a custom metal wallplate. See wallplate section for additional information.


# Wallplates and Covers

## Features and Benefits

### Non-metallic Wallplates


Hubbell's line of polycarbonate wallplates features larger standard sized wallplates to provide extra coverage to hide rough box opening, improved aesthetics, greater strength, impact resistance, along with easy to clean finish in all different types of environments.

- Standard size is 1/8 inch larger to give you extra coverage to hide rough box openings. Also available in mid-size, jumbo and pre-marked
- Smooth satin finish, blends into the wall
- More rigid, sharper lines
- Captive screw feature holds mounting screw in place for quick and easy installation, single gang
- High-impact polycarbonate thermoplastic is virtually unbreakable
- Smooth, easy to clean finish is highly resistant to solvents and cleaning solutions, providing long life in the harshest environments
- cULus listed



Hubbell's standard sized wallplates are 1/8 inch larger to provide you that extra coverage to hide rough box openings. The depth is 1/4 inch so that it will comfortably fit over the device even on imperfect installations or on retrofit work. See page O-32 for details and dimensions.


### Non-metallic Wallplates




### Non-metallic Pre-Marked Wallplates



### Metal Wallplates



## GFCI, USB, Surge Receptacles and Style Line® Device Wallplates

| Description                                                                         | Color        | Thermoplastic |                |                 | Material     | Metal Catalog Number |
|-------------------------------------------------------------------------------------|--------------|---------------|----------------|-----------------|--------------|----------------------|
|                                                                                     |              | Standard      | Mid-Size       | Jumbo           |              |                      |
|    | Black        | <b>P26BK</b>  | <b>PJ26BK</b>  | -               | Aluminum     | ①                    |
|                                                                                     | Blue         | -             | <b>PJ26BL</b>  | -               | Brass        | <b>SB26</b>          |
|                                                                                     | Brown        | <b>P26</b>    | <b>PJ26</b>    | -               | Brass Plated | <b>SBP26</b>         |
|                                                                                     | Gray         | <b>P26GY</b>  | <b>PJ26GY</b>  | -               | Chrome       | <b>SCH26</b>         |
|                                                                                     | Ivory        | <b>P26I</b>   | <b>PJ26I</b>   | <b>NPJJ26I</b>  | S/S 302/304  | <b>SS26</b>          |
|                                                                                     | Light Almond | <b>P26LA</b>  | <b>PJ26LA</b>  | <b>NPJJ26LA</b> | S/S 430      | <b>SS26L</b>         |
|                                                                                     | Red          | <b>P26R</b>   | <b>PJ26R</b>   | -               |              |                      |
|                                                                                     | White        | <b>P26W</b>   | <b>PJ26W</b>   | <b>NPJJ26W</b>  |              |                      |
|    | Black        | <b>P262BK</b> | <b>PJ262BK</b> | -               | Aluminum     | ①                    |
|                                                                                     | Brown        | <b>P262</b>   | <b>PJ262</b>   | -               | Brass        | <b>SB262</b>         |
|                                                                                     | Gray         | <b>P262GY</b> | <b>PJ262GY</b> | -               | Brass Plated | <b>SBP262</b>        |
|                                                                                     | Ivory        | <b>P262I</b>  | <b>PJ262I</b>  | -               | Chrome       | <b>SCH262</b>        |
|                                                                                     | Light Almond | <b>P262LA</b> | <b>PJ262LA</b> | -               | S/S 302/304  | <b>SS262</b>         |
|                                                                                     | Red          | <b>P262R</b>  | <b>PJ262R</b>  | -               | S/S 430      | <b>SS262L</b>        |
|                                                                                     | White        | <b>P262W</b>  | <b>PJ262W</b>  | -               |              |                      |
|                                                                                     |              |               |                |                 |              |                      |
|    | Black        | <b>P263BK</b> | <b>PJ263BK</b> | -               | Aluminum     | ①                    |
|                                                                                     | Brown        | <b>P263</b>   | <b>PJ263</b>   | -               | Brass        | ①                    |
|                                                                                     | Gray         | <b>P263GY</b> | <b>PJ263GY</b> | -               | Brass Plated | <b>SBP263</b>        |
|                                                                                     | Ivory        | <b>P263I</b>  | <b>PJ263I</b>  | -               | Chrome       | ①                    |
|                                                                                     | Light Almond | <b>P263LA</b> | <b>PJ263LA</b> | -               | S/S 302/304  | <b>SS263</b>         |
|                                                                                     | Red          | <b>P263R</b>  | -              | -               |              |                      |
|                                                                                     | White        | <b>P263W</b>  | <b>PJ263W</b>  | -               |              |                      |
|                                                                                     |              |               |                |                 |              |                      |
|   | Black        | <b>P264BK</b> | -              | -               | Aluminum     | ①                    |
|                                                                                     | Brown        | <b>P264</b>   | -              | -               | Brass        | ①                    |
|                                                                                     | Gray         | <b>P264GY</b> | -              | -               | Brass Plated | ①                    |
|                                                                                     | Ivory        | <b>P264I</b>  | <b>PJ264I</b>  | -               | Chrome       | ①                    |
|                                                                                     | Light Almond | <b>P264LA</b> | <b>PJ264LA</b> | -               | S/S 302/304  | <b>SS264</b>         |
|                                                                                     | White        | <b>P264W</b>  | <b>PJ264W</b>  | -               |              |                      |
|                                                                                     |              |               |                |                 |              |                      |
|                                                                                     |              |               |                |                 |              |                      |
|  | Gray         | <b>P265GY</b> | -              | -               | Aluminum     | ①                    |
|                                                                                     | Ivory        | <b>P265I</b>  | -              | -               | Brass        | ①                    |
|                                                                                     | Light Almond | <b>P265LA</b> | -              | -               | Brass Plated | ①                    |
|                                                                                     | White        | <b>P265W</b>  | -              | -               | Chrome       | ①                    |
|                                                                                     |              |               |                |                 | S/S 302/304  | <b>SS265</b>         |
|  | Black        | <b>P266BK</b> | -              | -               | Aluminum     | ①                    |
|                                                                                     | Brown        | <b>P266</b>   | -              | -               | Brass        | ①                    |
|                                                                                     | Gray         | <b>P266GY</b> | -              | -               | Brass Plated | ①                    |
|                                                                                     | Ivory        | <b>P266I</b>  | -              | -               | Chrome       | ①                    |
|                                                                                     | Light Almond | <b>P266LA</b> | -              | -               | S/S 302/304  | <b>SS266</b>         |
|                                                                                     | White        | <b>P266W</b>  | -              | -               |              |                      |
|                                                                                     |              |               |                |                 |              |                      |

Note: Thermoplastic wallplates feature pre-inserted captive screws for faster assembly in single gang configurations.

①Available as a custom wallplate, see pages O-32 to O-34. Consult custom wallplates section for additional openings and combinations.

Dimensions in Inches (mm)

## Nylon and Metal Wallplates

### More Style In a Snap

Snap-on screwless wallplates offer a clean, elegant look that can be installed in seconds. Screw the mounting sub-plate onto the device and press the snap-on wallplate into place. Snaps securely hold the wallplate to the sub-plate.


- Clean, elegant look
- No visible screws
- Snap-on wallplate completely covers sub-plate eliminating dirt build-up around the edges
- Snap-on wallplate hides any paint or scratches on sub-plate caused during installation
- Appearance is consistent with other Hubbell wallplates
- Meets UL and CSA standards



### Snap-On Screwless Wallplates

|              |  |  |  |  |  |  |  |  |
|--------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Color        | 1-Gang,<br>1-Decorator                                                            | 1-Gang,<br>1-Duplex                                                               | 1-Gang,<br>1-Toggle                                                               | 2-Gang,<br>2-Decorator                                                            | 2-Gang,<br>2-Toggle                                                               | 3-Gang,<br>3-Decorator                                                             | 3-Gang,<br>3-Toggle                                                                 | 4-Gang,<br>4-Decorator                                                              |
| Ivory        | <b>NPS26I</b>                                                                     | <b>NPS8I</b>                                                                      | <b>NPS1I</b>                                                                      | <b>NPS262I</b>                                                                    | <b>NPS2I</b>                                                                      | <b>NPS263I</b>                                                                     | <b>NPS3I</b>                                                                        | <b>NPS264I</b>                                                                      |
| Light Almond | <b>NPS26LA</b>                                                                    | <b>NPS8LA</b>                                                                     | <b>NPS1LA</b>                                                                     | <b>NPS262LA</b>                                                                   | <b>NPS2LA</b>                                                                     | <b>NPS263LA</b>                                                                    | <b>NPS3LA</b>                                                                       | <b>NPS264LA</b>                                                                     |
| White        | <b>NPS26W</b>                                                                     | <b>NPS8W</b>                                                                      | <b>NPS1W</b>                                                                      | <b>NPS262W</b>                                                                    | <b>NPS2W</b>                                                                      | <b>NPS263W</b>                                                                     | <b>NPS3W</b>                                                                        | <b>NPS264W</b>                                                                      |

### Decorator, Screw-On, Standard, Nylon Wallplates

|              |  |  |  |  |  |  |
|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Color        | 1-Gang,<br>1-Decorator                                                              | 2-Gang,<br>2-Decorator                                                              | 3-Gang,<br>3-Decorator                                                              | 4-Gang,<br>4-Decorator                                                              | 5-Gang,<br>5-Decorator                                                               | 6-Gang,<br>6-Decorator                                                                |
| Black        | <b>P26BK</b>                                                                        | <b>P262BK</b>                                                                       | <b>P263BK</b>                                                                       | <b>P264BK</b>                                                                       | —                                                                                    | <b>P266BK</b>                                                                         |
| Brown        | <b>P26</b>                                                                          | <b>P262</b>                                                                         | <b>P263</b>                                                                         | <b>P264</b>                                                                         | —                                                                                    | <b>P266</b>                                                                           |
| Gray         | <b>P26GY</b>                                                                        | <b>P262GY</b>                                                                       | <b>P263GY</b>                                                                       | <b>P264GY</b>                                                                       | <b>P265GY</b>                                                                        | <b>P266GY</b>                                                                         |
| Ivory        | <b>P26I</b>                                                                         | <b>P262I</b>                                                                        | <b>P263I</b>                                                                        | <b>P264I</b>                                                                        | <b>P265I</b>                                                                         | <b>P266I</b>                                                                          |
| Light Almond | <b>P26LA</b>                                                                        | <b>P262LA</b>                                                                       | <b>P263LA</b>                                                                       | <b>P264LA</b>                                                                       | <b>P265LA</b>                                                                        | <b>P266LA</b>                                                                         |
| White        | <b>P26W</b>                                                                         | <b>P262W</b>                                                                        | <b>P263W</b>                                                                        | <b>P264W</b>                                                                        | <b>P265W</b>                                                                         | <b>P266W</b>                                                                          |

### Decorator, Screw-On, Mid-Size, Nylon Wallplates

|              | 1-Gang,<br>1-Decorator | 2-Gang,<br>2-Decorator | 3-Gang,<br>3-Decorator | 4-Gang,<br>4-Decorator | 5-Gang,<br>5-Decorator | 6-Gang,<br>6-Decorator |
|--------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Color        | 1-Gang,<br>1-Decorator | 2-Gang,<br>2-Decorator | 3-Gang,<br>3-Decorator | 4-Gang,<br>4-Decorator | 5-Gang,<br>5-Decorator | 6-Gang,<br>6-Decorator |
| Black        | <b>PJ26BK</b>          | <b>PJ262BK</b>         | <b>PJ263BK</b>         | —                      | —                      | —                      |
| Brown        | <b>PJ26</b>            | <b>PJ262</b>           | <b>PJ263</b>           | —                      | —                      | —                      |
| Gray         | <b>PJ26GY</b>          | <b>PJ262GY</b>         | <b>PJ263GY</b>         | —                      | —                      | —                      |
| Ivory        | <b>PJ26I</b>           | <b>PJ262I</b>          | <b>PJ263I</b>          | <b>PJ264I</b>          | —                      | —                      |
| Light Almond | <b>PJ26LA</b>          | <b>PJ262LA</b>         | <b>PJ263LA</b>         | <b>PJ264LA</b>         | —                      | —                      |
| White        | <b>PJ26W</b>           | <b>PJ262W</b>          | <b>PJ263W</b>          | <b>PJ264W</b>          | —                      | —                      |

### Decorator, Screw-On, Mid-Size, Metal Wallplates

|              | 1-Gang,<br>1-Decorator | 2-Gang,<br>2-Decorator | 3-Gang,<br>3-Decorator | 4-Gang,<br>4-Decorator | 5-Gang,<br>5-Decorator | 6-Gang,<br>6-Decorator |
|--------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Material     | 1-Gang,<br>1-Decorator | 2-Gang,<br>2-Decorator | 3-Gang,<br>3-Decorator | 4-Gang,<br>4-Decorator | 5-Gang,<br>5-Decorator | 6-Gang,<br>6-Decorator |
| Brass        | <b>SB26</b>            | <b>SB262</b>           | —                      | —                      | —                      | —                      |
| Brass Plated | <b>SBP26</b>           | <b>SBP262</b>          | <b>SBP263</b>          | —                      | —                      | —                      |
| Chrome       | <b>SCH26</b>           | <b>SCH262</b>          | —                      | —                      | —                      | —                      |
| S/S 302/304  | <b>SS26</b>            | <b>SS262</b>           | <b>SS263</b>           | <b>SS264</b>           | <b>SS265</b>           | <b>SS266</b>           |
| S/S 430      | <b>SS26L</b>           | <b>SS262L</b>          | —                      | —                      | —                      | —                      |

Note: See section O for complete selection of wallplates.



## Wallplates

### Nylon plates—virtually unbreakable

- Rounded corners for stylish look
- Reinforced ribs for extra strength
- Screws are factory-inserted for fumble-free installation

### Stainless Steel plates

- Type 302/304
- Non-magnetic
- Ideal for highly corrosive environments

| Description                                                                                                                | Color                                    | Smooth Nylon                                                                  |                                                                                    | Material                 | Smooth Metal<br>Catalog Number |
|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------|--------------------------------|
|                                                                                                                            |                                          | Standard                                                                      | Mid-Size                                                                           |                          |                                |
|  1-Gang,<br>1-Toggle                      | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P1BK</b><br><b>P1</b><br><b>P1GY</b><br><b>P1I</b><br><b>P1W</b>           | <b>PJ1BK</b><br><b>PJ1</b><br><b>PJ1GY</b><br><b>PJ1I</b><br><b>PJ1W</b>           | Brass<br>Stainless Steel | <b>SB1</b><br><b>SS1</b>       |
|  1-Gang,<br>1-Duplex                      | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P8BK</b><br><b>P8</b><br><b>P8GY</b><br><b>P8I</b><br><b>P8W</b>           | <b>PJ8BK</b><br><b>PJ8</b><br><b>PJ8GY</b><br><b>PJ8I</b><br><b>PJ8W</b>           | Brass<br>Stainless Steel | <b>SB8</b><br><b>SS8</b>       |
|  1-Gang,<br>1-Decorator                   | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P26BK</b><br><b>P26</b><br><b>P26GY</b><br><b>P26I</b><br><b>P26W</b>      | <b>PJ26BK</b><br><b>PJ26</b><br><b>PJ26GY</b><br><b>PJ26I</b><br><b>PJ26W</b>      | Brass<br>Stainless Steel | <b>SB26</b><br><b>SS26</b>     |
|  2-Gang,<br>2-Toggle                     | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P2BK</b><br><b>P2</b><br><b>P2GY</b><br><b>P2I</b><br><b>P2W</b>           | <b>PJ2BK</b><br><b>PJ2</b><br><b>PJ2GY</b><br><b>PJ2I</b><br><b>PJ2W</b>           | Brass<br>Stainless Steel | <b>SB2</b><br><b>SS2</b>       |
|  2-Gang,<br>2-Duplex                    | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P82BK</b><br><b>P82</b><br><b>P82GY</b><br><b>P82I</b><br><b>P82W</b>      | <b>PJ82BK</b><br><b>PJ82</b><br><b>PJ82GY</b><br><b>PJ82I</b><br><b>PJ82W</b>      | Brass<br>Stainless Steel | <b>SB82</b><br><b>SS82</b>     |
|  2-Gang,<br>2-Decorator                 | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P262BK</b><br><b>P262</b><br><b>P262GY</b><br><b>P262I</b><br><b>P262W</b> | <b>PJ262BK</b><br><b>PJ262</b><br><b>PJ262GY</b><br><b>PJ262I</b><br><b>PJ262W</b> | Brass<br>Stainless Steel | <b>SB262</b><br><b>SS262</b>   |
|  2-Gang,<br>1-Toggle,<br>1-Duplex       | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P18BK</b><br><b>P18</b><br><b>P18GY</b><br><b>P18I</b><br><b>P18W</b>      | <b>PJ18BK</b><br><b>PJ18</b><br><b>PJ18GY</b><br><b>PJ18I</b><br><b>PJ18W</b>      | Brass<br>Stainless Steel | <b>SB18</b><br><b>SS18</b>     |
|  2-Gang,<br>1-Toggle,<br>1-Decorator    | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P126BK</b><br><b>P126</b><br><b>P126GY</b><br><b>P126I</b><br><b>P126W</b> | <b>PJ126BK</b><br><b>PJ126</b><br><b>PJ126GY</b><br><b>PJ126I</b><br><b>PJ126W</b> | Brass<br>Stainless Steel | <b>SB126</b><br><b>SS126</b>   |
|  1-Gang,<br>1-Single<br>1.40" Dia. Hole | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P7BK</b><br><b>P7</b><br><b>P7GY</b><br><b>P7I</b><br><b>P7W</b>           | <b>PJ7BK</b><br><b>PJ7</b><br><b>PJ7GY</b><br><b>PJ7I</b><br><b>PJ7W</b>           | Brass<br>Stainless Steel | <b>SB7</b><br><b>SS7</b>       |
|  1-Gang,<br>1-Blank,<br>Box Mount       | Black<br>Brown<br>Gray<br>Ivory<br>White | <b>P13BK</b><br><b>P13</b><br><b>P13GY</b><br><b>P13I</b><br><b>P13W</b>      | <b>PJ13BK</b><br><b>PJ13</b><br><b>PJ13GY</b><br><b>PJ13I</b><br><b>PJ13W</b>      | Brass<br>Stainless Steel | <b>SB13</b><br><b>SS13</b>     |