

Hearing Conservation Products

Disposable Foam Earplugs

E-A-R™ Classic™

| Product # | Abbreviated Description | NRR |
|------------|------------------------------------|-------|
| 310-1001 | Uncorded, Pillow Pack | |
| 310-1060 | Uncorded, Pillow Pack, Retail Pack | |
| 311-1101 | Corded, Poly Bag | |
| 312-1201 | Uncorded, Poly Bag | |
| 311-1110 | Corded, Paper Bag | 29 dB |
| 311-1081 | Corded, Dispenser Box | |
| 312-1082 | Uncorded, Dispenser Box | |
| VP311-1101 | Corded, Vending Pack | |
| VP312-1201 | Uncorded, Vending Pack |] |



E-A-R™ Classic™ Small

| Product # | Abbreviated Description | NRR |
|-----------|------------------------------|-------|
| 310-1103 | Uncorded, Pillow Pack, Small | 29 dB |
| 311-1106 | Corded, Poly Bag, Small | 29 aB |



E-A-R[™] Classic[™] SuperFit[™]

| Product # | Abbreviated Description | NRR |
|-----------|------------------------------------|-------|
| 310-1008 | SuperFit 33, Uncorded, Pillow Pack | 33 dB |
| 310-1009 | SuperFit 30, Uncorded, Pillow Pack | 30 dB |
| 311-1125 | SuperFit 33, Corded, Poly Bag | 33 dB |
| 311-1126 | SuperFit 30, Corded, Poly Bag | 30 dB |
| 312-4201 | SuperFit 30, Uncorded, Poly Bag | 30 dB |



E-A-Rsoft™ Grippers™

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 312-6001 | Corded, Poly Bag | 31 dB |



E-A-Rsoft™ SuperFit™

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 311-1254 | Corded, Poly Bag | 33 dB |
| 312-1256 | Uncorded, Poly Bag | 33 aB |



E-A-Rsoft™ FX™

| Product # | Abbreviated Description | NRR |
|------------|-------------------------|-------|
| 312-1260, | Corded, Poly Bag | |
| 312-1274 | Corded, Poly Bag | 00 10 |
| 312-1261 | Uncorded, Poly Bag | 33 dB |
| VP312-1260 | Corded, Vending Pack | |



Tattoo™

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| P1100 | Uncorded, Poly Bag | 32 dB |
| P1101 | Corded, Poly Bag | 32 UB |



NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

E-A-R™ Classic™ Plus

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 310-1101 | Uncorded, Pillow Pack | 33 dB |
| 311-1105 | Corded, Poly Bag | 33 UB |



E-A-R™ Classic™ Soft

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 311-6000 | Uncorded, Poly Bag | 31 dB |
| 311-6001 | Corded, Poly Bag | 3108 |



E-A-Rsoft™ Yellow Neons™

| Produc | t # | Abbreviated Description | NRR |
|--------------------|------|---------------------------------|-------|
| 310-125 | 0 | Uncorded, Pillow Pack, Regular | |
| 311-125 | 1 | Corded, Poly Bag, Large | |
| 311-125 311-125 | | Corded, Poly Bag, Regular | 22 40 |
| 312-125 | 0 | Uncorded, Poly Bag, Regular | 33 dB |
| 312-125 | 1 | Uncorded, Poly Bag, Large | |
| VP311-1 | 250 | Corded, Vending Pack, Regular | |
| VP312- | 1250 | Uncorded, Vending Pack, Regular | |



E-A-Rsoft™ Yellow Neon Blasts™

| Product # | Abbreviated Description | NRR |
|-----------------------|-------------------------|-------|
| 311-1252, 311-1257 | Corded, Poly Bag | 00 10 |
| 312-1252 | Uncorded, Poly Bag | 33 dB |
| VP311-1252 | Corded, Vending Pack | |



E-A-R™ E-Z-Fit™

| Product # | Abbreviated Description | NRR |
|------------|-------------------------|-------|
| 312-1208 | Uncorded, Poly Bag | |
| 312-1222 | Corded, Poly Bag | 28 dB |
| VP312-1260 | Corded, Vending Pack | |



E-A-R™ TaperFit™ 2

| Product # | Abbreviated Description | NRR |
|-----------|-----------------------------|-------|
| 312-1219 | Uncorded, Poly Bag, Regular | |
| 312-1221 | Uncorded, Poly Bag, Large | 32 dB |
| 312-1223 | Corded, Poly Bag, Regular | 32 GB |
| 312-1224 | Corded, Poly Bag, Large | |



3M[™] Foam Earplugs

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 1100 | Uncorded, Poly Bag | |
| 1110 | Corded, Poly Bag | 29 dB |
| VP1100 | Uncorded, Vending Pack | |



Nitro™

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| P1000 | Uncorded, Poly Bag | 32 dB |
| P1001 | Corded, Poly Bag | 32 UB |







Earmuffs

PELTOR™ X1

| Product # | Abbreviated Description | NRR |
|-----------------|-------------------------|-------|
| X1A | Over-the-Head | 22 dB |
| X1P3E, X1P5E | Hard Hat Attached | 21 dB |



PELTOR™ X2

| Product # | Abbreviated Description | NRR |
|-----------------|-------------------------|-------|
| X2A | Over-the-Head | |
| X2P3E, X2P5E | Hard Hat Attached | 24 dB |



PELTOR™ X3

| Product # | Abbreviated Description | NRR |
|-----------------|-------------------------|-------|
| ХЗА | Over-the-Head | 28 dB |
| X3P3E, X3P5E | Hard Hat Attached | 25 dB |



PELTOR™ X4

| Product # | Abbreviated Description | NRR |
|-----------------|-------------------------|-------|
| X4A | Over-the-Head | 27 dB |
| X4P3E, X4P5E | Hard Hat Attached | 25 dB |



PELTOR™ X5

| Product # | Abbreviated Description | NRR |
|-----------------|-------------------------|-------|
| X5A | Over-the-Head | |
| X5P3E, X5P5E | Hard Hat Attached | 31 dB |



PELTOR™ Optime™ 95

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| H6A/V | Over-the-Head | |
| H6B/V | Behind-the-Head | 21 dB |
| H6F/V | Folding | 2108 |
| H6P3E/V | Hard Hat Attached | |



PELTOR™ Optime™ 98

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| Н9А | Over-the-Head | 25 dB |
| Н9РЗЕ | Hard Hat Attached | 23 dB |



PELTOR™ Optime™ 101

| Product # | Abbreviated Description | NRR |
|-----------|----------------------------------|-------|
| H7A | Over-the-Head | 27 dB |
| Н7В | Behind-the-Head | 26 dB |
| Н7РЗЕ | Hard Hat Attached | 24 dB |
| H7P3E-01 | Hard Hat Attached, Dielectric | 24 dB |
| H7P3E-PLT | Hard Hat Attached Push-to-Listen | 25 dB |
| H7A-PTL | Over-the-Head Push-to-Listen | 26 dB |



PELTOR™ Optime™ 105

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------------|-------|
| H10A | Over-the-Head | 30 dB |
| H10A HV | Over-the-Head, High-Viz | 30 dB |
| H10B | Behind-the-Head | 29 dB |
| H10P3E | Hard Hat Attached | 27 dB |
| H10P3E-01 | Hard Hat Attached, Dielectric | 27 dB |



PELTOR™ H31 Hi-Viz

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| H31A | Over-the-Head | 24 dB |
| H31P3E | Hard Hat Attached | 23 dB |



PELTOR™ Welding Earmuff

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| H505B | Behind-the-Head | 17 dB |



E-A-R[™] Model 1000

| Product # | Abbreviated Description |
|-----------|--|
| 320-2001 | Multi-Position Headband NRR 20 dB band worn over the head NRR 22 dB band worn behind the head or under the chin |



E-A-R™ Model 3000

| Product # | Abbreviated Description |
|-----------|--|
| 320-2002 | Multi-Position Headband NRR 25 dB band worn over the head NRR 26 dB band worn behind the head or under the chin |



E-A-R™ Model 2000H

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 330-3031 | Hard Hat Attached | 21 dB |



PELTOR™ X Series Hygiene Kits

| Product # | Abbreviated Description |
|-----------|-------------------------|
| HYX1 | For X1 models |
| HYX2 | For X2 models |
| НҮХЗ | For X3 models |
| HYX4 | For X4 models |
| HYX5 | For X5 models |



PELTOR™ Optime™ Hygiene Kits

| Product # | Abbreviated Description |
|-----------|-------------------------|
| HY3 | For H9 and H31 Earmuffs |
| HY6 | For H6 Earmuffs |
| HY7 | For H7 Earmuffs |
| HY10 | For H10 Earmuffs |
| HY505 | For H505B Earmuffs |



Earmuff Replacement Parts

| Product # | Abbreviated Description |
|-----------|---|
| 331-3010 | Replacement cushions for Model 1000, 2000H & 3000 |



WARNING: These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

Banded Hearing Protectors

E-A-R™ Swerve™

| Product # | Abbreviated Description | NRR |
|-----------|----------------------------------|-------|
| 322-2000 | Swerve™ Banded Hearing Protector | 28 dB |



E-A-Rcaps™

| Product # | Abbreviated Description | NRR |
|-----------|-------------------------|-------|
| 321-2101 | Model 200 | 17 dB |



E-A-R™ Caboflex™

| Product # | Abbreviated Description |
|-----------|---|
| 320-2001 | Model 600 NRR 20 dB band worn under the chin NRR 17 band worn behind the head |



E-A-Rflex™ Foam Tips

| Product # | Abbreviated Description |
|-----------|---|
| 350-1002 | Replacement tips for E-A-Rflex™ model 350-1001 |



E-A-Rflex[™]

| Product # | Abbreviated Description | NRR |
|-----------|---------------------------|--------|
| 320-1000 | E-A-Rflex™ 28 | 28 dB |
| 350-1001 | E-A-Rflex™ Foam Tips | 25 dB |
| 350-1100 | E-A-Rflex™ Premolded Tips | 27 dB* |



NRR 24 dB when band worn over the head or behind the head (model 350-1100 only)

E-A-Rcaps[™] Tips

| Product # | Abbreviated Description |
|-----------|---------------------------------|
| 321-2103 | Replacement tips for E-A-Rcaps™ |



E-A-R™ Caboflex™ Tips

| Product # | Abbreviated Description |
|-----------|---|
| 320-2004 | Replacement tips for Caboflex Model 600 |



E-A-Rflex[™] 28 Pod Tips

| Product # | Abbreviated Description |
|-----------|---|
| 320-1001 | Replacement tips for E-A-Rflex™ 28 and E-A-R™ Swerve™ |



Validation System

E-A-Rfit™ Dual-Ear Validation System

| Product # | Abbreviated Description |
|-----------|-----------------------------------|
| 393-1100 | E-A-Rfit™ Dual-Ear Validation Kit |



E-A-Rfit™ Dual-Ear Probed Test Cushions

| Product # | Abbreviated Description |
|------------|---|
| 393-3001-2 | PELTOR™ Earmuffs X1/X2 Probed Test Cushions |
| 393-3003-2 | PELTOR™ Earmuffs X3 Probed Test Cushions |
| 393-3005-2 | PELTOR™ Earmuffs X4/X5 Probed Test Cushions |

| Product # | Abbreviated Description |
|--------------|-------------------------------------|
| 393-2011-50 | Tri-Flange™ |
| 393-2012-50 | Skull Screws™ |
| 393-2013-50 | No-Touch™ |
| 393-2014-50 | E-A-Rsoft™ Yellow Neons™ Large Size |
| 393-2015-50 | E-A-R™Push-Ins™ with Grip Rings |
| 393-2017-50 | UltraFit™ Silicone |
| 393-2018S-50 | Combat Arms™ 4.0 Small |
| 393-2018M-50 | Combat Arms™ 4.0 Medium |
| 393-2018L-50 | Combat Arms™ 4.0 Large |
| 393-2020-50 | E-A-R Caps™ |
| 393-2021-50 | E-A-Rsoft™ Grippers |

E-A-Rfit™ Dual-Ear Probed Test Plugs

| Abbreviated Description |
|---------------------------------------|
| E-A-Rsoft™ Yellow Neons, Regular Size |
| E-A-R™ UltraFit™ |
| E-A-R™ Push-Ins™ |
| E-A-R™ Classic™ |
| E-A-Rsoft™ FX™ |
| E-A-R™ E-Z-Fit™ |
| E-A-R™ TaperFit™ 2, Regular Size |
| E-A-R™ Classic Small™ |
| E-A-R™ Express Pod Plugs™ |
| E-A-R™ Classic™ Plus™ |
| Foam Earplug 1100 |
| |

Dispensers and Refills

One Touch™ Pro Earplug Dispenser & Refill Bottles

| Product # | Abbreviated Description |
|-----------|---|
| 391-0000 | One Touch™ Pro Earplug Dispenser |
| 391-1001 | Classic™ Refill Bottle (NRR 29 dB) |
| 391-1002 | Classic™ SuperFit™ 30 Refill Bottle (NRR 30 dB) |
| 391-1004 | E-A-Rsoft™ Yellow Neons™, Regular Refill Bottle (NRR 33 dB) |
| 391-1005 | E-A-Rsoft™ Yellow Neons™ Large Refill Bottle (NRR 33 dB) |



| Product # | Abbreviated Description |
|-----------|--|
| 391-1010 | E-A-Rsoft™ Yellow Neon Blasts™ Refill Bottle (NRR 33 dB) |
| 391-1254 | E-A-Rsoft™ SuperFit™ 33 Refill Bottle (NRR 33 dB) |
| 391-1100 | 1100 Foam Earplug, Refill Bottle (NRR 29 dB) |
| 391-1012 | E-A-Rsoft™ FX™ One Touch™ Refill Bottle (NRR 33 dB) |
| 391-0010 | One Touch™ Pro Adapter Plate |

Rapid Release Dispensing Boxes

| Product # | Abbreviated Description |
|-----------|--|
| 390-1201 | Classic™ Earplug Rapid Release Dispensing Box |
| 390-1250 | E-A-Rsoft™ Yellow Neons™, Regular, Earplug Rapid Release Dispensing Box |



| ILIE Kn | Product # | Abbreviated Description |
|-------------------|-----------|--|
| THE PARTY AND THE | 390-1252 | E-A-Rsoft™ Yellow Neon Blasts™ Earplug Rapid Release Dispensing Box |
| | 390-1262 | E-A-Rsoft™ FX™ Earplug Rapid Release Dispensing Box |

3M

3M Personal Safety Division 3M Center, Building 235-2NW-70 St. Paul, MN 55144-1000 3M.com/Hearing

For More Information

Technical Support 1-800-243-4630 Customer Service 1-800-328-1667 NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

© 3M 2016. 3M, the color yellow for earplugs, and all other trademarks used herein or hereon are trademarks of 3M Company used under license in Canada. PELTOR is a trademark of 3M Svenska AB, used under license in Canada.

Please recycle. Printed in USA. 70-0715-7411-8



