





Shown actual size: Rotary dimmer and 1-gang Fassada wallplate in White (WH).



Product family features

- The original electronic dimmer—first patented in 1959
- Easy-turn knob adjusts light to your favorite level
- **eco-dim®** model available
- 100% factory tested
- Coordinating Fassada® and Stainless Steel wallplates only available separately
- Custom engraving available for wallplates, see pg. 164

Control types

-  Single-pole (one location)
-  3-way or 4-way (two or more locations)

Direct load type compatibility

-  Incandescent/halogen lighting
-  Ceiling fans

Lighting load interfaces are not compatible with this family.

[Download high resolution product image](#)

Available finishes

Use **BOLD** color code in model number (Example: D-600P-**IV**)

Gloss finishes*



WH
White



IV
Ivory

*Coordinating wallplates only available separately. For wallplate information, see pg. 175.

Dimmers with push on/off knob and locator light



- Push on/off; rotate to adjust light level
- Includes locator light

Incandescent/halogen dimmers

Dimmers with push on/off knob and locator light

Single-pole	DNG-600P- XX ¹
120V 600W	
3-way	DNG-603P- XX ¹
120V 600W	

Fan controls with rotate on/off knob



- Rotate on/off; rotate to adjust fan speed
- Quiet 3-speed available for use with one paddle fan
- Quiet 3-speed designed to prevent motor hum
- Fully variable models available for use with multiple paddle or exhaust fans

Fan controls

Fan controls with rotate on/off knob—fully variable

Single-pole fan control	FS-5F- XX ¹
factory set minimum speed	
120V 5A	
Single-pole fan control	FS-5E- XX ¹
user adjustable minimum speed	
120V 5A	

Fan control with rotate on/off knob—quiet 3-speed

Single-pole	FSQ-2F- XX ¹
120V 1.5A	

Replacement knobs


Standard knob	RK- XX ¹
3-speed fan control knob, White	280-324-01
3-speed fan control knob, Ivory	280-324-06

XX¹: Gloss White (WH) and Ivory (IV), see pg. 118 (Wallplates not included. Order separately, see pg. 175)


All models must be derated if ganged, unless otherwise noted, see pg. 179.

Rotary Controls pg. 117

Dimmers with
Push On/Off Knob




Incandescent/
Halogen
D-600P-
D-603P-




Incandescent/
Halogen
eco-dim®
D-603PG-

Dimmers with
Push On/Off Knob
and Locator Light




Incandescent/
Halogen
DNG-600P-
DNG-603P-

Dimmer with
Rotate On/Off
Knob




Incandescent/
Halogen
D-600R-

Fan Controls with
Rotate On/Off
Knob



Quiet 3-Speed
FSQ-2F-



Fully Variable
FS-5F-
FS-SE-