

CHEMICAL PRODUCTS



TAPMATIC #1 GOLD CUTTING FLUID

- Does not contain water, solvents, or inactive fillers
- Reduces cutting torque and improves cutting efficiency
- Does not contain chlorinated paraffins
- Requires less product usage than traditional cutting fluids
- Increases tool life and improves surface finish
- Great for all metals including aluminum

PART#	UPC#	SIZE	WT. PER PKG	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MLP40320	31343	16 oz.	.98	1	30.75/ea



TAPMATIC AQUACUT CUTTING FLUID

- Corrosion inhibitors prevent flash rusting
- Safe on all metals, except magnesium
- Does not contain sulfur, chlorine, or oils
- Non-hazardous
- Excellent in applications where cooling of the tool is desired
- Water-based formula

PART#	UPC#	SIZE	WT. PER PKG	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MLP01216	31340	16 oz.	1.05	1	29.13/ea



CUTTING FLUID AEROSOL

PRESERVE. PROTECT. PREVENT.

MLU208

Sprayon® MLU208 Cutting Oil Aerosol is an excellent lubricant specifically formulated for all ferrous and non-ferrous machining operations. Extends tool life, reducing tool sharpening downtime. It utilizes a unique combination of friction reducing triglycerides which aides in a high degree of fluid film protection.

PART#	UPC#	SIZE	WT. PER PKG	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MLU208	31344	12 oz.	.97	1	13.13/ea



ZINC-RICH GALVANIZING COMPOUND

Sprayon® Silver Galvanizing Compound and Zinc-Rich Galvanizing Compound stop rust and add years to metal substrates and equipment.

Sprayon® CGS740 Zinc-Rich Galvanizing And Low V.O.C. Zr Galvanizing Compounds

are high performance primers containing 97% pure zinc dust pigment blended with epoxy resin. They stop rust by electrochemical action on steel or galvanized coatings. These inorganic, self-sacrificing primers protect the base metal, preserving strength and preventing rust creepage when the area is penetrated or scratched. The compound fuses zinc to the metal substrate and delivers protection against corrosion equal to or better than hot dipped galvanize.

Applications: Structural steel, automobiles, guard rails, bridges, television towers, damaged galvanized surfaces, heat duct work, welded joints, heavy equipment, offshore equipment, power-plant equipment or anywhere a maximum performance rust and corrosion inhibitive coating is required.

PART#	UPC#	DESCRIPTION	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
CGS740	30016	14 oz. Zinc Rich Galvanizing Compound	1	22.25/ea

INSTANT SUPERGLUE

Fast setting, low to medium viscosity cyanoacrylate adhesive for use on all types of substrates. Ideal for filling small gaps.



15 ml

Typical Bonding applications:

- Circuit board wires
- Ceramic, fabric, metal and leather bonding
- Molded parts such as automotive weather stripping, wiper blades
- Speaker cones
- Equipment identification tags
- Control panel switches
- Rubber pads for equipment base or legs

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
VT30115M	14784	15 ml	.01	1	15.50/ea



FIRE SEAL

Residential Firestopping Caulk

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MFS136	60025	10.3 fl. oz	1.19	1	8.53/ea

BLASTER PRODUCTS® PENETRATING CATALYST

"Fix it Right. The Original Nut & Bolt Blaster!"



16PB

- Powerful** Penetrating Catalyst
- Frees Everything Faster
 - Stuck, Rusted, Squeaking Joints
 - Corroded Pipe Threads, etc.



16CSP

- Powerful** Corrosion Stop
- Water-resistant Spray
 - Protects all Metals
 - Leave a Protective Film on Applied Surfaces



PART#	UPC#	SIZE/ITEM	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
M16PB	61158	11 oz. Penetrating Catalyst Spray	.89	1	16.75/ea
M16CSP	61159	16 oz. Corrosion Stop Spray	.97	1	19.88/ea

BLASTER PRODUCTS® LUBE & DEGREASE

Powerful. Industrial Strength. Protects. Prevents.



MPB50

PB50 All-Purpose Lubricant

- Over 1000 uses and applications
- Great lubricant for moving parts
- Displaces & repels moisture



16CBD

Powerful Citrus Based Degreaser

- Biodegradable and non-toxic
- Removes grease, oil and dirt
- Strips and removes wax
- Non-staining
- Dries with no residue



16SL

Industrial Strength

Silicone Spray Lubricant

- Non-staining, odorless
- Contains more silicone than major competitors
- Great for tire shine/protectant

PART#	UPC#	SIZE/ITEM	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MPB50	61163	8 oz. All-Purpose Lubricant Spray	.71	1	13.80/ea
M16CBD	61164	11 oz. Citrus Based Degreaser Spray	.88	1	24.48/ea
M16SL	61165	11 oz. Silicone Spray Lubricant Spray	.88	1	12.38/ea

CHEMICAL PRODUCTS

QUIK-MARK™ INVERTED MARKING PAINT

Boldest, Brightest and Most Visible Markings in the Industry!



- One pass valve for bold, bright, visible markings
- Glove Grip™ cap has a 50% wider opening to easily accommodate work gloves
- Spray-Thru™ cap – non-clogging spray tip
- Locking tip won't fall off with extended use
- Fast drying formula penetrates and adheres to hot, cold or wet surfaces
- Great for long-lasting markings
- VOC/MIR compliant




PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
KPSQMC20	60016	20 oz.	Clear	1.35	1	14.38/ea
KPSQMFR20	60017	20 oz.	Fluorescent Red	1.35	1	14.38/ea
KPSQMFR/O20	60013	20 oz.	Fluorescent Red/Orange	1.35	1	14.38/ea
KPSQMFO20	60011	20 oz.	Fluorescent Orange	1.35	1	14.38/ea
KPSQMY20	60009	20 oz.	Yellow	1.35	1	14.38/ea
KPSQMW20	60007	20 oz.	White	1.35	1	14.38/ea
KPSQMB20	60006	20 oz.	Blue	1.35	1	14.38/ea
KPSQMG20	60005	20 oz.	Green	1.35	1	14.38/ea
KPSQMO20	60004	20 oz.	Orange	1.35	1	14.38/ea
KPSQMBR20	60003	20 oz.	Brilliant Red	1.35	1	14.38/ea

COLOR SELECTION GUIDE

FLUORESCENT COLORS



APWA COLORS



COLOR SELECTION GUIDE

WARNING! If you scrape, sand or remove old paint, you may release lead dust. **LEAD IS TOXIC.** Contact the National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead

Remove dirt, grease, wax, moisture, rust and loose paint from surface. Scuff-sand rusted, glossy or hard surfaces. Prime bare or rusted metal. Protect adjacent areas from overspray.

APPLICATION

Use at room temperature. Shake can well until ball rattles and repeat for 10 seconds after each minute of use. Spray 10-12 inches from surface. Spray several thin coats to avoid runs or drips. Dries to touch in 10-15 minutes. Can be handled after one hour. Clear valve after each use by turning can upside down and spraying until clear gas comes out. If spray button becomes clogged, wear eye protection, wipe off button opening with lacquer thinner – DO NOT stick pin in spray button opening.



DAP® DAPTEX PLUS INSULATING FOAM SEALANT PLUS



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDF12P	71256	12 oz.	White	1.06	1	21.56/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CHEMICAL PRODUCTS



DAP® QUICK PLUG®

A HIGH PERFORMANCE HYDRAULIC CEMENT

- Formulated to stop running water through deep cracks and holes.
- Creates watertight seal in 3 to 5 minutes.
- Can be used to anchor machinery, railings and repair concrete.
- Works both above and below ground level.
- Interior/Exterior use.

PART#	UPC#	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDQP2	71283	2.61	1	23.80/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SIMPLE GREEN® SAFETY TOWELS

- Multi-purpose cleaning power
- Safer non-citrus formula
- Pre-Moistened
- Non-Toxic
- Versatile
- Quick



PART#	UPC#	DESCRIPTION	SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WSGT75	71297	75 towels in each	10 x 11.75	2.28	1	47.33/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



WYPALL® WATERLESS HAND CLEANER WIPES

- Smooth on one side and tough on the other for scrubbing
- 10½ W x 12½ L
- Premoistened
- Tough on greasde, grimm, ink and paint



PART#	UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WYP75	71390	75 Waterless Hand Cleaner Wipes	2.50	1	24.95/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HAND SANITIZER WIPES

Ensure personal protection from organisms that cause disease and sickness through cross-contamination.

Features and benefits:

- Kills 99.9% of disease causing germs and bacteria found on skin.
- Sanitizing formula contains enough alcohol to be highly effective, but will not dry out hands.
- Extended use will not cause dryness or cracking.

PART#	UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
HSCB85	71295	85 count bucket	1.23	1	39.19/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CHEMICAL PRODUCTS



DAP® TOUCH `n FOAM MAX-FILL®

POLYURETHANE INSULATING SEALANT

Description:

Our maximum expanding formula, in the familiar green can, is the original Touch 'n Foam sealant formulated to fill gaps and voids all around the home. Max Fill™ provides three times the expansion to fill gaps greater than 1 inch wide. Its weather-resistant bond seals out drafts while blocking insects and other pests. It can be used indoors or outdoors.

PART#	UPC#	SIZE	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
KF12	71472	12 oz.	1.05	26.41/ea
KF24	71495	20 oz.	1.90	49.81/ea

DAP® FIREBLOCK FOAM

POLYURETHANE FIREBLOCK
FOAM SEALANT

Quick, easy to use fireblock product for filling:

- Joints between ceiling and walls or floors and walls
- Around vents, pipes, ducts and wires

For use in Type V residential construction.

Bright orange for easy code identification.

Expands 2½ to 3 times its dispensed size.

PART#	UPC#	PACKAGE QUANTITY	COLOR	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
WDFB12	71252	9 cans per case	Orange	1.02	31.65/ea

DAP® Kwik Foam® are Registered Trademarks



OXIDE INHIBITOR COMPOUND

- For use on aluminum to copper and aluminum to aluminum connections.
- Seals out moisture and air to prevent oxidation.
- Improves service life of aluminum electrical applications.
- Compatible with insulating materials
- Installed product remains in place with no running or dripping.
- May be used as an anti-seizing compound.
- Available in an 8 ounce bottle.

PART#	UPC#	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
OXIN1	60020	.56	1	24.77/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST





DUCT SEAL

1 POUND & 5 POUNDS

- Seals out air and moisture
- Great adhesion
- Indoor/Outdoor use
- Paintable
- Asbestos-free
- Non-hardening

PART#	UPC#	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
MDUC1	60031	1	1	3.95/ea
MDUC5	60035	5	1	15.28/ea

BLACK JACK® ROOF PATCH

WET/DRY ROOF CEMENT



- Seals and stops leaks
- Expands and contracts with weather
- Forms a tight, strong seal
- Stays soft and pliable
- Repairs flashings




PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
RCT1	41350	10 oz. Tube	.92	1	9.59/ea
RBT1	41485	10 oz. Tube	.92	1	17.08/ea
RCQ1	41355	1 Quart	2.32	1	19.51/ea
RCG1	41360	1 Gallon	8.75	1	41.38/ea

BLACK JACK® IS A REGISTERED TRADEMARK

DAP® FAST 'N FINAL®

LIGHTWEIGHT SPACKLING

A superior lightweight spackling for repairing walls, ceilings and woodwork in one fill. Easy spread formula that needs no sanding. Will not crack or shrink. Excellent for both interior and exterior use.



PART#	UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDS10	71221	½ pint - White	.27	1	7.35/ea
WDS20	71222	Qrt. - White	.98	1	17.96/ea
WDS30	71223	Gal. - White	4.68	1	52.81/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST DAP® and Fast 'N Final® are registered trademark

CHEMICAL PRODUCTS

DAP® 3.0 ADVANCED SEALANTS

*Kitchen & Bath, All Purpose, Gutter & Flashings,
Black-Top & Roof, Self-Leveling Concrete*

DAP 3.0 Advanced Sealants

All DAP 3.0 advanced sealants are technically superior with greater adhesion and flexibility so they won't crack or shrink and they are also paintable. Thanks to active quick dry technology DAP 3.0 can be exposed to water in just 3 hours.

Available in:

- 3.0 Advanced Kitchen & Bath Sealant White & Clear
- 3.0 Advanced All-Purpose Sealant White & Clear
- 3.0 Advanced Gutter & Flashing Sealant White
- 3.0 Advanced Black-Top & Roof Sealant Black
- 3.0 Advanced Self-Leveling Sealant Gray

MADE IN USA



PART#	UPC#	DESCRIPTION	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDKBW1	71532	3.0 Kitchen & Bath Sealant (9 oz)	White	1.00	1	21.29/ea
WDKBC1	71530	3.0 Kitchen & Bath Sealant (9 oz)	Clear	.80	1	26.19/ea
WDSW30	71546	3.0 All Purpose Sealant (9 oz)	White	1.00	1	21.29/ea
WDSC30	71544	3.0 All Purpose Sealant (9 oz)	Clear	.80	1	26.19/ea
WDGF1	71536	3.0 Gutter & Flashing Sealant (9 oz)	White	.95	1	21.29/ea
WDBTR1	71540	3.0 Black-Top & Roof Sealant (9 oz)	Black	.98	1	20.73/ea
WDSL1	71544	3.0 Self-Leveling Sealant (9 oz)	Gray	.90	1	21.29/ea

DAP® ALEX PLUS® ACRYLIC LATEX CAULK

A multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable with excellent adhesion and paintable. Cured caulk is mildew resistant and can be used interior/ exterior. Exceeds ASTM specification C834.

MADE IN USA



PART#	UPC#	COLOR/TYPE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDEW10	71246	White (10.1 oz) Tube	1.20	1	11.05/ea
WDEC10	71187	Clear (10.1 oz) Tube	.80	1	11.05/ea
WDEW5	71245	White Squeeze Tube (5.5 oz)	.60	1	11.85/ea
WDEC2	71243	Clear Squeeze Tube (2.8 oz)	.28	1	13.16/ea
WDCC1	71446	White Squeeze Tube (5.5 oz)	.58	1	4.14/ea

ECONOMY ACRYLIC LATEX CAULK

PART#	UPC#	COLOR/TYPE	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
ACL10C	71457	Clear (10.1 oz)	1.25	1	9.22/ea
ACL10W	71458	White (10.1 oz)	1.25	1	9.22/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CHEMICAL PRODUCTS



DAP® ELASTOPATCH® SMOOTH

A high performance, smooth finish, brush-on or trowel-on terpolymer patching compound. Designed to fill cracks up to 1/4" in interior or exterior surfaces. Excellent for use on stucco, masonry, brick, wood, plaster, drywall, concrete, metal, virtually any surface requiring a permanently flexible seal.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDPS10	71224	10.1 oz.	White	1.15	1	10.63/ea
WDPS20	71225	Qt.	White	3.34	1	23.99/ea
WDPS30	71226	Gal.	White	13.05	1	76.13/ea



DAP® ELASTOPATCH® TEXTURED

A high performance, textured finish, brush-on, trowel-on or roll-on terpolymer patching compound. Designed to fill cracks up to 1/4" in interior or exterior surfaces, excellent for use on stucco, masonry, brick, wood, plaster, drywall, concrete, metal, virtually any surface requiring a permanently flexible seal.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDPT10	71227	10.1 oz.	Off White	.86	1	9.63/ea
WDPT20	71228	Qt.	Off White	2.65	1	21.96/ea
WDPT30	71229	Gal.	Off White	11.74	1	73.57/ea



DAP® KWIK-SEAL® TUB & TILE ADHESIVE CAULK

Tub and tile adhesive and caulk in one. Mildew resistant. Excellent adhesion and flexibility. Tools easily and dries tack free in 15 minutes. Water clean-up.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDKS1	71231	5.5 oz.	White	.56	1	6.92/ea
CDKS1	71258	5.5 oz.	Clear	.56	1	6.92/ea



DAP® FIRE STOP SEALANT

Single component silicone fire barrier for sealing around piping and wiring penetrations through fire-rated walls and floors. Meets ASTM Spec. E-814, UL 1479 and UL 2079.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDFS10	71232	10.1 oz.	Lt. Gray	1.04	1	52.48/ea

DAP®, ElastoPatch® and Kwik Seal® are registered trademarks

CHEMICAL PRODUCTS



DAP® HIGH HEAT MORTAR

For firestopping at openings around vents, pipes, ducts, chimneys, in wood frame construction, also for patching fireplaces and wood-burning stoves. Withstands temperatures up to 2000°F. Non-combustible. ASTM E-136 rated.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDHM10	71233	10.1 oz.	Black	1.36	1	8.40/ea

DAP® DOW CORNING® SILICONE SEALANT

Protect and seal with 100% silicone rubber. Waterproof and flexible Non-paintable. 50 year manufacturer durability guarantee. Meets ASTM C-920, Class 25, Type S, Grade NS.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDSC10	71234	10.1 oz.	Clear	.78	1	16.11/ea
WDSW10	71235	10.1 oz.	White	.78	1	16.45/ea
WDSG10	71238	10.1 oz.	Gray	.78	1	16.45/ea



DAP® ALEX PLUS® EASY CAULK

Packaged in a convenient, easy-to-use aerosol can. Eliminates the need for a caulk gun, delivers a smooth and consistent bead with no messy overflow. Ideal for use in tight spaces and for smaller jobs either indoors or outdoors.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDEC16	71236	16 oz.	White	1.09	1	19.16/ea

DAP® BEATS THE NAIL® CONSTRUCTION ADHESIVE

For general construction, remodeling, maintenance and repair projects. Provides a high-strength, heat and water resistant bond to a variety of substrates. Meets ASTM Specification C 557. For interior/exterior use.



PART#	UPC#	SIZE	COLOR	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
WDN1	71240	10.3 oz.	Gray	1.04	1	7.69/ea
WDN2	71241	29 oz.	Gray	2.96	1	21.86/ea

DAP® is a registered trademark
Beats The Nail® is a registered trademark
Dow Corning® is a registered trademark