

Eaton PXBCM-MME-X25-333MV

Catalog Number: PXBCM-MME-X25-333MV

Eaton Power Xpert branch circuit monitor meter base 25 External 333 MV CT inputs, Max 277V L-N, 480V L-L, Single-, three-phase, used with PXMBCM-MB

General specifications

Product Name	Catalog Number
Eaton Power Xpert branch circuit monitor meter module external	PXBCM-MME-X25-333MV
	UPC
	786685954769
Product Length/Depth	Product Height
7.5 in	1.5 in
Product Width	Product Weight
8.5 in	1 lb
Warranty	Compliances
1 year	Not Applicable

Certifications

EN 61000-4-4 Electrical fast transient
EN 61000-4-5 Surge
UL Listed 61010-1 File E185559
ANSI/IEEE Std C12.20 (0.5% accuracy)
CSA Std. C22.2 No. 1010.1.92

Delivery program

Used with

PXBCM-MB

Other

ANSI % revenue accuracy

C12.20 (0.5)

Communications

Modbus TCP

Modbus RTU (RS - 485)

Current sensor input

333 mV

Number of CT inputs

Single-phase, three-phase

Instrumentation

Wh --Net

Current & Voltage - 3 Phase Max

Current Demand

Watts

Vah

Current & Voltage - Per Phase

Va demand

Current & Voltage - 3 Phase Average

Watt Demand

Wh --Positive & Negative

Va

Technical data - Electrical

Voltage rating

277V L-N, 480V L-L

Resources

Installation instructions

[Power Xpert Branch Circuit Monitor \(PXBCM\) installation guide](#)

Multimedia

[Eaton's Power Xpert Branch Circuit Monitor](#)

Specifications and datasheets

[Eaton Specification Sheet - PXBCM-MME-X25-333MV](#)

Technical data sheets

[Power Xpert Branch Circuit Monitor \(PXBCM\) system technical data sheet](#)

[Power Xpert Branch Circuit Monitor meter module external IL150002EN](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)