

# COMPACT FLUORESCENT LAMPS

Compact fluorescent lamps have become one of the most popular lamp types available. With lumen output similar to that of incandescent lamps, but only using about one quarter of the wattage, it's easy to see why. Satco carries hundreds of variations of high quality, energy efficient and ENERGY STAR® certified compact fluorescent lamps from 5W mini spirals, to decorative types, to our HI-PRO high-wattage spirals suitable for almost any commercial application.

## Lamps that keep on saving.

There's also a wide selection of twin, triple, and quad tube pin-based lamps in the Satco/Hygrade™ family. For sure, Satco has a CFL for virtually every lighting application.

### CFL features:

- Lamps from 5 to 105 Watts
- Complete choice of color temperatures
- Energy efficient – uses up to 75% less energy than incandescent technology
- Long life – up to 12,000 hours
- Excellent color rendering
- Lamps for consumer and industrial use
- Environmentally friendly – low Mercury
- Many ENERGY STAR® certified choices
- Virtually all industry standard base types available





### ENERGY STAR® lamps.

ENERGY STAR is a government-backed symbol for energy efficiency, jointly managed by the U.S. Environmental Protection Agency (EPA) and the U.S. Department of Energy (DOE). The label was created to help consumers easily identify products that save energy and help to protect the environment.


Energy efficient bulbs are recommended in five of the most used residential fixtures or locations – kitchen, living room, bathroom, bedroom, and outdoor. Since these areas of the home have the highest energy use for lighting, these “high five” are good places to start, with plenty of options to suit most applications.



Nuvo Lighting's energy saving Odeon ES five light chandelier in Brushed Nickel with Satin White Glass. Nuvo item number 60-3806. See the [www.nuvolighting.com](http://www.nuvolighting.com) website.



Nuvo Lighting's energy saving Patton ES nine light chandelier in Prairie Bronze with White Frosted Glass. Nuvo item number 60-5159. See the [www.nuvolighting.com](http://www.nuvolighting.com) website.



## Quad Tube 4-Pin for Electronic & Dimming Ballasts

| Watts     | Bulb Type | Base   | Satco Product # | Lamp Code     | Volts | Color Kelvin Temp. | CRI | Avg. Rated Hours | Lumens | M.O.L. Inches | Pkg. Type | Ctn. | Notes |
|-----------|-----------|--------|-----------------|---------------|-------|--------------------|-----|------------------|--------|---------------|-----------|------|-------|
| <b>13</b> | T4        | G24q-1 | <b>S8329</b>    | CFD13W/4P/827 | 120   | 2700               | 82  | 15000            | 900    | 5 11/16       | Hang Box  | 50   | 2     |
|           |           |        | <b>S6729 ▲</b>  | CF13DD/E/827  | 120   | 2700               | 82  | 12000            | 900    | 5 3/16        | Box       | 50   | 2     |
|           |           |        | <b>S8330</b>    | CFD13W/4P/830 | 120   | 3000               | 82  | 15000            | 900    | 5 11/16       | Hang Box  | 50   | 2     |
|           |           |        | <b>S6730 ▲</b>  | CF13DD/E/830  | 120   | 3000               | 82  | 12000            | 900    | 5 3/16        | Box       | 50   | 2     |
|           |           |        | <b>S8331</b>    | CFD13W/4P/835 | 120   | 3500               | 82  | 15000            | 900    | 5 11/16       | Hang Box  | 50   | 2     |
|           |           |        | <b>S6731 ▲</b>  | CF13DD/E/835  | 120   | 3500               | 82  | 12000            | 900    | 5 3/16        | Box       | 50   | 2     |
|           |           |        | <b>S8332</b>    | CFD13W/4P/841 | 120   | 4100               | 82  | 15000            | 900    | 5 11/16       | Hang Box  | 50   | 2     |
|           |           |        | <b>S6732 ▲</b>  | CF13DD/E/841  | 120   | 4100               | 82  | 12000            | 900    | 5 3/16        | Box       | 50   | 2     |
| <b>18</b> | T4        | G24q-2 | <b>S8333</b>    | CFD18W/4P/827 | 120   | 2700               | 82  | 15000            | 1250   | 6 5/16        | Hang Box  | 50   | 2     |
|           |           |        | <b>S6733 ▲</b>  | CF18DD/E/827  | 120   | 2700               | 82  | 12000            | 1250   | 5 13/16       | Box       | 50   | 2     |
|           |           |        | <b>S8334</b>    | CFD18W/4P/830 | 120   | 3000               | 82  | 15000            | 1250   | 6 5/16        | Hang Box  | 50   | 2     |
|           |           |        | <b>S6734 ▲</b>  | CF18DD/E/830  | 120   | 3000               | 82  | 12000            | 1250   | 5 13/16       | Box       | 50   | 2     |
|           |           |        | <b>S8335</b>    | CFD18W/4P/835 | 120   | 3500               | 82  | 15000            | 1250   | 6 5/16        | Hang Box  | 50   | 2     |
|           |           |        | <b>S6735 ▲</b>  | CF18DD/E/835  | 120   | 3500               | 82  | 12000            | 1250   | 5 13/16       | Box       | 50   | 2     |
|           |           |        | <b>S8336</b>    | CFD18W/4P/841 | 120   | 4100               | 82  | 15000            | 1250   | 6 5/16        | Hang Box  | 50   | 2     |
|           |           |        | <b>S6736 ▲</b>  | CF18DD/E/841  | 120   | 4100               | 82  | 12000            | 1250   | 5 13/16       | Box       | 50   | 2     |
| <b>26</b> | T4        | G24q-3 | <b>S8337</b>    | CFD26W/4P/827 | 120   | 2700               | 82  | 15000            | 1825   | 6 1/2         | Hang Box  | 50   | 2     |
|           |           |        | <b>S6737 ▲</b>  | CF26DD/E/827  | 120   | 2700               | 82  | 12000            | 1825   | 6 1/2         | Box       | 50   | 2     |
|           |           |        | <b>S8338</b>    | CFD26W/4P/830 | 120   | 3000               | 82  | 15000            | 1825   | 6 1/2         | Hang Box  | 50   | 2     |
|           |           |        | <b>S6738 ▲</b>  | CF26DD/E/830  | 120   | 3000               | 82  | 12000            | 1825   | 6 1/2         | Box       | 50   | 2     |
|           |           |        | <b>S8339</b>    | CFD26W/4P/835 | 120   | 3500               | 82  | 15000            | 1825   | 6 1/2         | Hang Box  | 50   | 2     |
|           |           |        | <b>S6739 ▲</b>  | CF26DD/E/835  | 120   | 3500               | 82  | 12000            | 1825   | 6 1/2         | Box       | 50   | 2     |
|           |           |        | <b>S8340</b>    | CFD26W/4P/841 | 120   | 4100               | 82  | 15000            | 1825   | 6 1/2         | Hang Box  | 50   | 2     |
|           |           |        | <b>S6740 ▲</b>  | CF26DD/E/841  | 120   | 4100               | 82  | 12000            | 1825   | 6 1/2         | Box       | 50   | 2     |

## Triple Tube 2-Pin for Magnetic Ballasts

| Watts     | Bulb Type | Base    | Satco Product # | Lamp Code  | Volts | Color Kelvin Temp. | CRI | Avg. Rated Hours | Lumens | M.O.L. Inches | Pkg. Type | Ctn. | Notes |
|-----------|-----------|---------|-----------------|------------|-------|--------------------|-----|------------------|--------|---------------|-----------|------|-------|
| <b>18</b> | T4        | GX24d-2 | <b>S4367 ▲</b>  | CF18DT/827 | 120   | 2700               | 82  | 12000            | 1200   | 4 13/16       | Box       | 50   | 2     |
| <b>26</b> | T4        | GX24d-3 | <b>S4368 ▲</b>  | CF26DT/827 | 120   | 2700               | 82  | 12000            | 1800   | 5 3/8         | Box       | 50   | 2     |