







DEVICE ADAPTER S00/S0, 25A, FOR 60MM BUSBAR SYSTEM
45X200MM LONG SPECIAL CABLES WELDED ON, AWG 12, 99
MM POSITIONER ENCLOSED MOUNTING RAIL SCREWED ON



| Model | |
|---|----------------|
| Product brand name | SENTRON |
| Product designation | Device adapter |
| Design of the product | Accessories |
| Current / at AC / rated value | 25 A |
| Operating voltage / at AC / rated value | 690 V |
| Width | 45 mm |
| Busbar center-to-center spacing | 60 mm |
| Net weight | 308 g |

| | | | | | |
|--|---|---|---|---|--|
| General Product Approval | | | | Declaration of Conformity | Test Certificates |
|  CSA |  UR |  UL |  |  EG-Konf. | Special Test Certificate |

| | | | | | |
|--|-------------------------------|--|---|--|--|
| Test Certificates | | Shipping Approval | | | |
| Type Test Certificates/Test Report | Miscellaneous |  ABS |  BUREAU VERITAS |  LRS |  PRS |

| | | |
|---|---|--|
| Shipping Approval | other | Railway |
|  RINA |  RMRS | Miscellaneous Vibration and Shock |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DS10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1251-5DS10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DS10

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

