

8WA1 Screw Terminals

8WA through-type terminals

Version	DT	Article No. www.siemens.com/ product?Article No.	Price per PU	PU (UNIT, SET, M)	PS*/ P. unit	PG
 PE through-type terminals and PEN through-type terminals, terminal size 35 mm² • Green/yellow • For $I = 125$ A • Mounting width 16 mm • Terminal height 50 mm • Terminal length 53 mm • Two screw terminals •   Accessories Barriers, for terminal size 35 mm²		8WA1011-1PM00		1	25 units	1BT
Terminal size 70 mm²						
 Through-type terminals, terminal size 70 mm² • Rated uninterrupted current 192 A • Rated insulation voltage 800 V • Mounting width 25 mm • Terminal height 64.5 mm • Terminal length 73.5 mm •  AWG 8-3/0 •  AWG 8-1/0 Versions • Beige • Blue Accessories • Covers, with lightning symbol, for terminal size 70 mm² • Connection bars, for terminal size 70 mm², for 2 terminals • Barriers, for terminal size 70 mm²						
		8WA1206		1	10/60 units	1BT
		8WA1011-1BP11		1	10/60 units	1BT
		8WA1814		1	50 units	1BT
		8WA1216		1	20 units	1BT
		8WA1824		1	25/600 units	1BT
Accessories						
Covers						
 Versions • With lightning symbol - For terminal size 1.5 up to 2.5 mm² - For terminal sizes 4 and 6 mm² - For terminal size 16 mm² - For terminal size 35 mm² - For terminal size 70 mm²		8WA1810		1	50 units	1BT
		8WA1811		1	50 units	1BT
		8WA1812		1	50 units	1BT
		8WA1813		1	50 units	1BT
		8WA1814		1	50 units	1BT
 Versions • White, facility for labeling - For terminal size 1.5 up to 2.5 mm² - For terminal sizes 4 and 6 mm² - For terminal size 16 mm² - For terminal size 35 mm²		8WA1860		1	50 units	1BT
		8WA1862		1	50 units	1BT
		8WA1892		1	50 units	1BT
		8WA1893		1	50 units	1BT
 Versions • For connection bars, transparent - For terminal size 2.5 to 6 mm² - For terminal sizes 16 and 35 mm²		8WA1822-7AX01		1	10 units	1BT
		8WA1822-7AX02		1	10 units	1BT
		8WA1822-7AX03		1	10 units	1BT
Jumpers						
For connection bars						
 Versions • For terminal size 2.5 mm² • For terminal size 4 mm² • For terminal size 6 mm²		8WA1822-7VF01		1	50 units	1BT
		8WA1822-7VG00		1	50 units	1BT
		8WA1822-7VH00		1	50 units	1BT
 End retainers, thermoplastic Width 10 mm		8WA1808		1	50/500 units	1BT

8WA1 Screw Terminals





8WA Insta or three-tier terminals

	Version	DT	Article No. www.siemens.com/ product?Article No.	Price per PU	PU (UNIT, SET, M)	PS*/ P. unit	PG
Accessories							
Covers Up to three terminals side-by-side Versions • With lightning symbol, for terminal size 4 and 6 mm² • White, facility for labeling, for terminal sizes 4 and 6 mm² • For connection bars, for terminal size 2.5 up to 6 mm² - Transparent - White							
			8WA1811		1	50 units	1BT
			8WA1862		1	50 units	1BT
			8WA1822-7AX01		1	10 units	1BT
			8WA1822-7AX03		1	10 units	1BT
 Feeder terminals, for N-busbars • 6 × 6 mm and 10 × 3 mm • Bare Versions • Connection up to 4 mm² • Connection up to 25 mm² • Connection up to 35 mm²							
8WA2870 / 868 / 867			8WA2867		1	50/2400 units	1BT
			8WA2868		1	50/750 units	1BT
			8WA2870		1	50 units	1BT
 End retainers, thermoplastic Width 10 mm							
8WA1808			8WA1808		1	50/500 units	1BT
Terminal strip labels • Suitable for 8WA1808 end retainer • Blank (WIN 67)							
			8WA8212-0AA65		100	380 units	1BT
 Insulation carriers, for mounting insulated support rails							
8WA1857			8WA1857		1	20 units	1BT
Labels, blank • Suitable for plotting • Label size 5 × 7 mm (WIN 68)							
			8WA8348-2AY		100	136 units	1BT
 N-busbars, 6 × 6 mm • Rated uninterrupted current 125 A • 1109 mm long • For four-field Note Prices apply for orders from € 25.00. For orders below € 25.00, a processing charge of € 2.50 net will be added.							
8GF9324-2			8GF9324-2		1	10 units	1BP
Connection bars, for Insta terminals Versions • For two terminals • For three terminals • For ten terminals							
			8WA1822-7VF02		1	50 units	1BT
			8WA1822-7VF03		1	50 units	1BT
			8WA1822-7VF10		1	10 units	1BT
Barriers, for Insta terminals, terminal size 2.5 mm² and measuring transformer terminals, terminal size 6 mm²							
			8WA1822-7TH00		1	50 units	1BT

Accessories for 8WA Terminal Blocks

Mounting accessories

Selection and ordering data

	Version	DT	Article No. www.siemens.com/ product?Article No.	Price per PU	PU (UNIT, SET, M)	PS*/ P. unit	PG
	End retainers, with screw fixing • Mounting width 10 mm • Suitable for 8WA1806 end labeling plate or 8WA8826-0A terminal strip identification label or 3TX4210-0H device label or four 8WA88 labels.		8WA1808 8WA1805 5ST1145 5ST1141		1	50/500 units	1BT
	End retainers, steel • Mounting width 10.3 mm • Suitable for 8WA1806 end labeling plate Note An 8WA1820 barrier must be inserted if using end retainers against an 8WA189 connection bar (size 2.5).				1	50 units	1BT
	Standard mounting rails Versions • With holes - EN 50022-35 × 7.5 - 2 m long, 1 mm thick - Steel, sendzimir-galvanized • Non-perforated • Non-perforated, copper - EN 50022-35 × 15 - 2 m long, 2.3 mm thick • Non-perforated, steel, galvanized, chromated - Similar to EN 50022-35 × 15 - 2 m long, 1.5 mm thick				1	20 units	1AD
5ST1141			8WA7551		1	20 units	1AD
			5ST1142		1	1 unit	1BT
	Spacer brackets For raised mounting of terminal strips		8WA753		1	50 units	1BT
8WA753							
	Spacers • With 5.5 mm hole • For raised mounting of terminal strips		8WA752		1	100 units	1BT
8WA752							
	Mounting brackets For support rails		8WA746		1	10 units	1BT
8WA746							
	Insulation carriers For insulated mounting of support rails onto plates, frame profiles and standard mounting rails EN 50022-35		8WA1857		1	20 units	1BT
8WA1857							
	Screwdrivers, for 8WA2 • 3.5 × 0.5 mm, partially insulated • Green • Approx. 175 mm long		8WA2880		1	1 unit	1BT
8WA2880							